



Downee

**HI-PERFORMANCE
GATE & FENCE
CATALOGUE**

**SO MANY OF YOU WERE STOKED
WITH THE DEDICATION TO SIR JACK LAST YEAR
WE'RE DOING IT AGAIN.
THIS YEAR WE CELEBRATE
THE REV HEADS
AND RATBAGS
MAD ENOUGH TO PULL ON A HELMET
BACK IN THE DAYS 'SAFETY EQUIPMENT' WAS A PAIR OF OVERALLS.
SO HERE'S TO THE REV HEADS
WHO THRILLED US WITH THEIR
DAREDEVIL EXPLOITS
AND THE RATBAGS WHOSE LEGEND
WAS CEMENTED BY THEIR
HELLRAISING.**



INDEX

6 EFFECTIVE GATE WEIGHT (EGW)

8 MOTOR SELECTOR

Quick guide to find the right automation

12 PRO MOTORS

- 12 Sliding Gate Motors
- 18 Sliding Base Selector
- 20 Swing Gate Motors

26 PRO ACCESSORIES

- 26 Photocells
- 26 Remotes
- 26 Keypads
- 27 Locks
- 29 Rack

30 BOOM GATE

31 MOTOSHAF
Shutter door drive system

32 TRADE FIRST HARDWARE

Hardware to make the installer's life easier

35 MHOUSE Automation

- 36 Sliding Gate
- 38 Swing Gate
- 42 Accessories

44 GATE HARDWARE

- 44 Sliding Gate
- 46 Telescopic Gate
- 48 Cantilever Gate
- 52 Driveway Swing Gate
- 54 Pedestrian Gate
- 59 Safety Gate

60 TUBULAR FENCING

- 60 Components
- 62 Spears
- 65 Lattice

66 CHAINWIRE HARDWARE

70 CAPS

72 RURAL HARDWARE

- 72 Hinges, Catches & Latches
- 74 Stockyard Components
- 75 Farm Gate Packs

76 SLIDING DOOR

- 76 Track
- 76 Wheels
- 76 Brackets

78 ASSORTED HARDWARE

80 CONTACT DETAILS

**NEED SOMETHING
WE DON'T HAVE?**

ASK US.

**SOMETHING MISSING
FROM OUR RANGE?**

LET US KNOW.

SOURCING STUFF YOURSELF?

MAYBE WE CAN REMOVE THE HASSLE.



We want

to hear

from you!

NEWSTUFF_{AT}DOWNEE.COM.AU

TRADE OUTLETS

MELBOURNE, SYDNEY & BRISBANE

NOW OPEN

ADELAIDE
& PERTH
YOU'RE
NEXT!



OUR
WHOLE
RANGE
IN ONE
PLACE

NEW

DEALS & STEALS


RUN OUT
SPECIALS

NEW

PRE-CUT
WIRING PACKS
FOR

mhouse

2015



WAS A HELL OF A RIDE



PHONES OPEN

14

HOURS A DAY



WHERE OUR PRODUCTS CAME FROM



AUSTRALIA 1

ITALY 2

CHINA 3

TAIWAN 4

USA 5

LITHUANIA 6

GERMANY 7

SPAIN 8

BELGIUM 9

FRANCE 10



5 NUMBER OF
TIME
ZONES
WE COVER



85
DOWNEE
TEAM
MATES

39
SIZE OF OUR
CUSTOMER
SERVICE
TEAM

88TH
BIRTHDAY

AVERAGE
DELIVERY
TIME **24**
HOURS



2700
DIFFERENT
PRODUCTS
SENT TO
3000
CUSTOMERS

25TH
NOV

2011

OUR LAST
LOST TIME
INJURY

473000
PARTS



MADE
HERE
BY US

0

VEGETARIAN
PIZZA
EATEN



LANGUAGES SPOKEN
AT DOWNEE

ENGLISH
RUSSIAN
GERMAN
SPANISH
ITALIAN

VIETNAMESE
MANDARIN
CANTONESE
FRENCH
CROATIAN

8925
TECH SUPPORT
CALLS
RECEIVED



4


CUSTOMER SERVICE
TEAM MATES
PUNCHED
SALES GUYS

26 **NEW PRODUCTS**
IN THIS CATALOGUE
CHECK IT OUT

SIZE MATTERS

MOTOR SELECTOR

EGW



A motor rating from the manufacturer is just like the towing capacity of a car. A car manufacturer says their car can tow up to a max. kg, but if the car tows that every day it wears out faster and risks a break down. Same applies to the max. weight rating on gate motors. Just because it can, doesn't mean it should.

Motor weight ratings are set using factory testing, but in the real world it's effective gate weight (EGW) that counts. Think about pushing a car with a flat tyre, it still weighs the same but it's much harder to

move - that's because you're pushing the effective car weight.

Extend Motor Life

A gate motor rating is based on the maximum weight it can push at the slowest speed, on a perfectly level track using all new hardware on a standard sliding gate. A gate on a track with incline puts a lot more load on the motor. The greater the incline the bigger the increase to the EGW. Worn hardware increases the EGW and so does a gate's infill.

WHAT AFFECTS GATE WEIGHT?

When it comes to EGW Swing and Sliding gates are very different. The many factors below increase the effective weight of a gate. When you're matching a motor to a gate, remember each of these things adds to the gate's weight.

SLIDING GATE

Speed: The faster it goes the greater the load.

Gate Style: Cantilever & Telescopic gates are harder to get moving than a sliding gate.

Uphill: The greater the incline, the heavier it is.

Wind: Wind force against infill adds load.

Timber Infill: Can absorb water making it much heavier.

Old Hardware: If the gate isn't smooth there's extra weight.

Installation: If the track isn't straight or the motor isn't aligned perfectly. Then guess what, you've got more weight.


Workshop Tips

Let us work it out.

Call us with the...

- Gate length
- Gate weight
- Driveway incline (Height)

...and by using our Slope Calculator developed inhouse we can work out the best motor option.



SWING GATE

Solid Infill: Gates with solid infill panels make the gate act like a sail and can put massive force on the motor.

Timber Pailings: Absorb water making the gate much heavier.


Hinges: Rusty or misaligned hinges without lubrication make the motor work hard.

Gate Length: Long gates have more momentum and put more strain on the hinges when compared to a high narrow gate of the same weight.

Speed: The faster you push it the more force you'll need.

Hinge Selection: Automation using linear drive motors puts a heap of force on the hinges. Welded butt hinges are a disaster waiting to happen. Tapered bearing hinges on the bottom with ball bearing top hinges are the way to go. Pintle or gudgeon type hinges are OK on lighter gates.

WEIGHT RATING



Wind loading on gates with 100% infill places extra load on the motor.

SLIDING MOTORS

**EASY
INSTALL**

PRO

GATE WEIGHT

POWER

	to 400kg	to 500kg	to 700kg	to 900kg	to 1400kg	to 1800kg	to 2500kg	to 4500kg	at gate	to 50m*	solar
SL1S	<5m								✓	✓	✓
SL10S		<7m							✓	✓	✓
LOLUX				<12m					✓	**	**
REV					<12m				✓	**	**
CHARGER						<12m			✓		
JUGGERNAUT JNR							<12m		✓		
JUGGERNAUT								<12m	✓		

MAX GATE LENGTH

*External Transformer
**24V Motor Only

SWING MOTORS

PRO

**EASY
INSTALL**

GATE WEIGHT

POWER

	to 200kg	to 250kg	to 300kg	to 350kg	to 400kg	to 450kg	to 500kg	to 550kg	at gate	to 50m*	solar
RODMAN	<4m	<4m	<3.5m	<3m	<2.5m	<2m	<2m	<2m	✓	**	**
BANDITO	<3m	<2.5m	<2m	<2m	<1m				✓	✓	✓
SWINGER	<2m	<2m	<1m						✓	✓	✓
WU200S	<2.3m	<2m	<1.75m	<1.5m	<1m				✓	✓	✓
WG2S	<2m	<2m							✓	✓	✓
WS200S	<2m	<2.2m							✓	✓	✓
WG10S/WG20S	<4m	<4m	<3.5m	<3m	<2.5m	<2m	<1m		✓	✓	✓

MAX GATE LENGTH

*External Transformer
**24V Motor Only



SHORT / CUTS

ALL BUSINESS NO BULLSH*T

MANUALS

Let's face it, manufacturer's manuals are a pain in the butt to read. Short Cuts Manuals are step-by-step guides in plain English. They cover only the bits you need to do a basic installation.

Look for the Short Cuts manual in our motor kits.




VIDEOS



Check out how it's done before stepping on site. Videos are in the Tech Info pages on our website and Youtube channel.

DOWNEE WEBSITE



LOOK HERE!

GET YOUR MOTOR RUNNING.

*Tech
Support*



1800 241 733

MOTORS / PROGRAMMING / WIRING / HARDWARE

OUR TECH TEAM, IS YOUR TECH TEAM.



DE@NET

CONTROL BOARDS

MADE IN ITALY BY **DEA**

**1 ONE
BOARD**

FOR ALL 24V MOTORS
FOR ALL GATES, INDUSTRIAL DOORS & BOOM GATES


EASY

SELF-LEARNING PROCEDURE.

VERSATILE

CAN BE RETRO-FITTED TO OTHER BRAND MOTORS

70 operating parameters
such as force, speed and
duration of the
slowdown,
anti-crush
sensor sensitivity etc.





LOLUX

DEA MADE IN ITALY

24V



EXTERNAL TRANSFORMER

230V

KIT#1

24V Motor
20mm Base
2 Remotes
Controller + Receiver

LOLUX

KIT#2

24V Motor
20mm Base
4 Remotes
Controller + Receiver
10m Reflective Sensor
Booster Aerial

LOLUX-PRO

KIT#3

24V Motor
20mm Base
2 Remotes
Controller + Receiver
External Transformer

LOLUX-SP

KIT#4

24V Motor
20mm Base
4 Remotes
Controller + Receiver
10m Reflective Sensor
Booster Aerial
External Transformer

LOLUX-PRO-SP

KIT#5

230V Motor
20mm Base
2 Remotes
Controller + Receiver

LOLUX230

KIT#6

230V Motor
20mm Base
4 Remotes
Controller + Receiver
10m Reflective Sensor
Booster Aerial

LOLUX230-PRO

KITS


#1,3,5



Motor



Ziggy



20mm Base



External Transformer



ORDER SEPARATELY
65mm Base
LOLUXBASE-HI

#2,4,6



Motor



Ziggy



Booster Aerial




External Transformer



ORDER SEPARATELY
65mm Base
LOLUXBASE-HI



10m Reflective Sensor



20mm Base

FIX MOTOR TO MATCH RACK

PAGE 18



QUICK MOTOR SELECTOR

PAGE 8

TECHNICAL

MOTOR		24V	230V
Motor Voltage	V	24(DC)	230(AC)
Motor Power	W	110	450
Duty Cycle	%	30	20
Opening Per Hour	5m gate	18	11
Opening Speed	m/min	10	10
Thrust Max.	N	260	490
Manufacturers Rating	kg	800	900
Protection Degree	IP	X4	X4
Dimensions (H-W-D)	mm	320h 240w 184d	320-240-188
Motor Weight	kg	12	12.5
Working Temperature	°C	-20° to 40°	-20° + 40°
REMOTE			
Remote	4 Channel	Rolling Codes	Rolling Codes
CONTROL BOARD			
Control Board		NET24	NET230N
Input Power	V	24(DC)	230(AC)



24V

KIT#1

24V Motor
2 Remotes
Controller + Receiver

REV

KIT#2

24V Motor
4 Remotes
Controller + Receiver
10m Reflective Sensor
Booster Aerial

REV-PRO

EXTERNAL TRANSFORMER

KIT#3

24V Motor
2 Remotes
Controller + Receiver
External Transformer

REV-SP

KIT#4

24V Motor
4 Remotes
Controller + Receiver
10m Reflective Sensor
Booster Aerial
External Transformer

REV-PRO-SP

230V

KIT#5

230V Motor
2 Remotes
Controller + Receiver

REV230

KIT#6

230V Motor
4 Remotes
Controller + Receiver
10m Reflective Sensor
Booster Aerial

REV230-PRO

KITS

#1,3,5



Motor



Ziggy



SP
KITS
ONLY
External
Transformer

TRADE FIRST BASES (ORDER SEPARATELY)



40mm Base
REVBASE-LOW



115mm Base
REVBASE-HI

FIX MOTOR
TO MATCH
RACK

PAGE
18

#2,4,6



Motor



Booster Aerial



SP
KITS
ONLY
External
Transformer



Ziggy



Reflective
Sensor

TECHNICAL

MOTOR		24V	230V
Motor Voltage	V	24 (DC)	230 (AC)
Motor Power	W	250	500
Duty Cycle	%	60	45
Opening Per Hour	8m gate	36	27
Opening Speed	m/min	12	10
Thrust Max.	N	450	900
Manufacturers Rating	kg	1400	1400
Protection Degree	IP	44	44
Dimensions (H-W-D)	mm	390-320-220	390-320-220
Motor Weight	kg	18	18
Working Temperature	°C	-20° + 50°	-20° + 50°
REMOTE			
Remote	4 Channel	Rolling Codes	Rolling Codes
CONTROL BOARD			
Control Board		NET24N	NET230N
Input Power	V	24(AC)	230(AC)



CHARGER

MADE IN ITALY



CHARGER

KIT #1

230V Motor
2 Remotes
Controller + Receiver

CHARGER230

KIT #2

230V Motor
4 Remotes
Controller + Receiver
10m Reflective Sensor
Booster Aerial

CHARGER230-PRO

CUSTOM

KIT

**BUILD A
KIT USING
ANY PARTS**

TECHNICAL

MOTOR

		CHARGER
Motor Voltage	VAC	230
Motor Power	W	560W
Duty Cycle	%	25%
Opening Per Hour	12m gate	15
Opening Speed	m/min	10
Thrust Max.	N	875
Manufacturers Rating	max. kg	1800
Protection Degree	IP	44
Dimensions (H-W-D)	mm	410-330-240
Motor Weight	kg	30
Working Temperature	°C	-20 + 50

REMOTE

Remote	4 Channel	Rolling Codes
--------	-----------	---------------

KITS

#1



Motor



Ziggy

#2



Motor




Ziggy



10m
Reflective Sensor



Booster Aerial



BRASS GEARS

TRADE FIRST BASES (ORDER SEPARATELY)



40mm Base
CHARGBASE-LOW



115mm Base
CHARGBASE-HI



PAGE
8



PAGE
18

JUGGERNAUT

BENINCA MADE IN ITALY

JUGGERNAUT JUNIOR

KIT#1

Motor
2 Remotes
Controller + Receiver

JUGGERNAUTJR

KIT#2

Motor
4 Remotes
Controller + Receiver
10m Reflective Sensor
Booster Aerial


JUGGERNAUTJR-PRO

JUGGERNAUT

Motor Only

JUGGERNAUT

MATCH MOTOR TO RACK



TRADE FIRST BASE (ORDER SEPARATELY)



75mm Junior Base
LGBASE-LO



CUSTOM KIT

/ BUILD A KIT USING ANY PARTS

KITS [JUNIOR ONLY]

#1



Motor



Ziggy

#2



Motor



Ziggy



15m
Reflective
Sensor



Booster Aerial

TECHNICAL

MOTOR

		JUGGERNAUT JNR.	JUGGERNAUT 415 (3-phase)
Motor Voltage	VAC	230	415 (3-phase)
Motor Power	W	2000	1000
Duty Cycle	%	60	60
Opening per hour	12m gate	36	36
Opening Speed	m/min	7-19*	7-19*
Thrust Max.	N	2500	5000
Manufacturers Rating	max. kg	2500	4500
Protection Degree	IP	44	44
Dimensions (H-W-D)	mm	632-333-250	768-470-270
Motor Weight	kg	31	75
Working Temperature	°C	-20° + 50°	-20° + 50°

REMOTE & RECEIVER

Remote	2 Channel	Rolling Codes	Rolling Codes
Pre-Wired Receiver		2 Channel	2 Channel

RACK

Rack	M4 (std)	M6 (special)
------	----------	--------------

* Effective gate weight alters max. speed

LEADFOOT



ON ITS WAY IN 2016

GATE MATE



new

CHOOSE YOUR BODY




CHOOSE YOUR HEAD TO MATCH THE ACCESS SYSTEM

S

M

B

**HINGED
FACE
MAKES
WIRING
EASY**



HEADS



SMALL




MEDIUM



BIG

Code	Description
TRUCKER-1	GATE MATE Body - Bolted, 2m
TRUCKER-2	GATE MATE Body - Concreted, 2m
SHORTIE-3	GATE MATE Body - Bolted, 1.2m
SHORTIE-4	GATE MATE Body - Concreted, 1.2m
HEAD-SML	GATE MATE Head - Small - 250h x 150w
HEAD-MED	GATE MATE Head - Medium - 200h x 350w
HEAD-BIG	GATE MATE Head - Big - 330h x 330w

BODIES



TRUCKER-1



TRUCKER-2

INCLUDES
DRAWER-LINE
TO THREAD
WIRES
THROUGH THE
BODY



SHORTIE-3



SHORTIE-4

**MADE
HERE
BY US**

COLOURS



**COMES
IN
YELLOW**

Other colours available:

- Black
- Orange
- Red
- Grey
- Green
- Others

GOOSENECK

A NEAT SOLUTION FOR SMALLER ENTRIES.

Accepts these access control accessories (Page 26):



Code	Description
GOOSENECK-1200	Body 1200h - Head 150w x 120h



BASE SELECTOR

Workshop Tips

Faster installs? Sh*t yeah!


Here's a quick way to choose the right wheels, rack, motor and base for a gate.

1. Estimate the Effective Gate Weight (EGW)
2. Decide on the style of wheels
3. Select a motor to match the EGW
4. Choose the base to suit the wheels

Trade First Bases place the drive gear close to the rack height on most gates styles and wheel types.



LOLUX



RECESSED WHEEL 90mm (300550)

Wheel Rating: 300kg
Bottom Channel: 100x50

Rack: AR-6FPNR

BOTTOM MOUNT WHEEL 80mm (327-80S)

Wheel Rating: 200kg
Bottom Channel: 100x50

Rack: AR-6FPNR

BOTTOM MOUNT WHEEL 100mm (328-100)

Wheel Rating: 400kg
Bottom Channel: 100x50

Rack: AR-6FPNR
Rack: AR-6FPNRUP
Rack: AR-STERHOL12

CANTILEVER Carriage Small (M)

Bottom Channel: 75x100


Rack: AR-6FPNRUP
Rack: AR-STERHOL12

 Steel Rack

 Nylon Rack

 Nylon Rack Up

REV



RECESSED WHEEL: 90mm (300550)

Wheel Rating: 300kg
Bottom Channel: 100x50

Rack: AR-6FPNR
Rack: AR-STERHOL12

RECESSED WHEEL: 120mm (300551H)

Wheel Rating: 400kg
Bottom Channel: 150x50

Rack: AR-6FPNR
Rack: AR-STERHOL12

BOTTOM MOUNT WHEEL: 100mm (328-100)

Wheel Rating: 400kg
Bottom Channel: 100x50


Rack: AR-6FPNR
Rack: AR-STERHOL12

CANTILEVER: Carriage Medium (P)

Bottom Channel: 150x100

Rack: AR-STERHOL12

CHARGER



RECESSED WHEEL: 160mm (338-160)

Wheel Rating: 600kg
Bottom Channel: 150x50

Rack: AR-STERHOL12

BOTTOM MOUNT WHEEL: 100mm (328-100)

Wheel Rating: 400kg
Bottom Channel: 100x50

Rack: AR-STERHOL12

BOTTOM MOUNTED TWIN: 120mm (339-120)

Wheel Rating: 1200kg
Bottom Channel: 150x100

Rack: AR-STERHOL12

CANTILEVER: Carriage Medium (P)

Bottom Channel: 150x100

Rack: AR-STERHOL12

RODMAN



24V



KIT#1

Motor (24V)
2 SUB Remotes
Controller + Receiver
Trade First Brackets
Palm Programmer

RODMAN-1

KIT#2

Motor (24V)
4 SUB Remotes
Controller + Receiver
Trade First Brackets
Palm Programmer
2 10m Reflective Sensors
Booster Aerial

RODMAN-PRO-1

EXTERNAL TRANSFORMER

KIT#3

Motor (24V)
2 SUB Remotes
Controller + Receiver
Trade First Brackets
External Transformer
Palm Programmer

RODMAN-SP-1

KIT#4

Motor (24V)
4 SUB Remotes
Controller + Receiver
Trade First Brackets
External Transformer
Palm Programmer
2 10m Reflective Sensors
Booster Aerial

RODMAN-PRO-SP-1

CUSTOM

KIT

**BUILD A
KIT USING
ANY PARTS**



KIT#5

2 Motor (24V)
2 SUB Remotes
Controller + Receiver
Trade First Brackets
Palm Programmer

RODMAN-2

KIT#6

2 Motor (24V)
4 SUB Remotes
Controller + Receiver
Trade First Brackets
Palm Programmer
2 10m Reflective Sensors
Booster Aerial

RODMAN-PRO-2

EXTERNAL TRANSFORMER

KIT#7

2 Motor (24V)
2 SUB Remotes
Controller + Receiver
Trade First Brackets
Palm Programmer
External Transformer

RODMAN-SP-2

KIT#8

2 Motor (24V)
4 SUB Remotes
Controller + Receiver
Trade First Brackets
Palm Programmer
External Transformer
2 10m Reflective Sensors
Booster Aerial

RODMAN-PRO-SP-2



DOUBLE
BEARING




THREADED
BRASS
COLLAR

24V CONTROLLER

The world's most advanced control board uses a full-screen Palm Programmer. Detailed instructions make programming simple. Compatible with all home automation systems.





TECHNICAL

MOTOR		24V	230V
Motor Voltage	V	24	230
Motor Power	W	120	250
Duty Cycle	%	80	30
Opening Per Hour	-	-	-
Opening time to 90°	sec	24	24
Torque	N	1300	1700
Manufacturers Rating	max. kg	600	600
Protection Degree	IP	44	44
Dimensions (H-W-D)	mm	995-108-110	995-108-110
Motor Weight	kg	9.5	9.5
Working Temperature	°C	-20 + 55	-20 + 55

REMOTE

Remote	Rolling Codes	Rolling Codes
RX4 Receiver	4 Channel	4 Channel

CONTROL BOARD

Control Board	14A	NET230N
Input Power	VAC	230

230V



KIT#9

Motor (230V)
2 SUB Remotes
Controller + Receiver
Trade First Brackets

RODMAN230-1

KIT#10

Motor (230V)
4 SUB Remotes
Controller + Receiver
Trade First Brackets
2 10m Reflective Sensors
Booster Aerial

RODMAN230-PRO-1

230V



KIT#11

2 Motor (230V)
2 SUB Remotes
Controller + Receiver
Trade First Brackets

RODMAN230-2

KIT#12

2 Motor (230V)
4 SUB Remotes
Controller + Receiver
Trade First Brackets
2 10m Reflective Sensors
Booster Aerial

RODMAN230-PRO-2

CUSTOM KIT



BUILD A
KIT USING
ANY PARTS


KITS

#1,3,5,7



#2,4,6,8





SWINGER

Order arm separately →



KIT#1-2

Motor (no arm)
2 Remotes
Controller + Receiver

#1 SWINGER-1

#2 SWINGER-SP-1



KIT#3-4

Motor (no arm)
4 Remotes
Controller + Receiver
2, 10m Reflective Sensors
Booster Aerial

#3 SWINGER-PRO-1

#4 SWINGER-PRO-SP-1

KIT#5-6

2 Motors (no arms)
2 Remotes
Controller + Receiver

#5 SWINGER-2

#6 SWINGER-SP-2

KIT#7-8

2 Motors (no arms)
4 Remotes
Controller + Receiver
2, 10m Reflective Sensors
Booster Aerial

#7 SWINGER-PRO-2

#8 SWINGER-PRO-SP-2



KITS

#1,2,5,6



Motor/s



Ziggy



SP
KITS
ONLY
External
Transformer

#3,4,7,8



Motor/s



Ziggy



10m
Reflective Sensors



Booster
Aerial



SP
KITS
ONLY
External
Transformer

ARM OPTIONS



Standard
SWINGER-STAND



Long Reach
SWINGER-LONG



Long Reach Steel
SWINGER-LONGS




Sliding Arm
SWINGER-SLIDE

RUBBER RISER

SWINGER-RISER



Flexible elbow for gates
with rising hinges.
Suits up to 12% gradient,
2m leaf, 150kg





Workshop Tips

An armless Swinger?

Get the best arm for the job. Order a Swinger plus the arm. Or you'll get an armless Swinger . . .



TECHNICAL

MOTOR

Motor Voltage	VDC	24
Motor Power	W	80
Duty Cycle	%	30
Opening per hour		20
Opening Time to 90°	Sec	16
Max. Torque	Nm	180
Manufacturers Rating	kg	250
Protection Degree	IP	44
Dimensions (H-W-D)	mm	340-170-270
Motor Weight	kg	12
Working Temperature	°C	-20° + 50°

REMOTE

Remote	4 Channel	Rolling Codes
--------	-----------	---------------

CONTROL BOARD

Control Board		NET24N
Input Power	V	24(AC)

SWINGER

SPRINT GATE

AUTOMATIC FARM GATE


MADE IN AUSTRALIA USING
ITALIAN AUTOMATION AND
AUSTRALIAN HARDWARE.

SPRINT GATE KITS FIT NEW
AND EXISTING GATES.

EASY DIY INSTALL

SOLAR POWER
FOR REMOTE
LOCATIONS

OTHER POWER
OPTIONS
AVAILABLE



SOLAR SINGLE GATE KIT

24V Motor
2 Remotes
Controller
Booster Aerial
Post & Gate Brackets
Solar Panel (Plug-in cables pre-wired)
Solar Panel Mount Bracket
Solar Controller
IP Rated Battery Box
2 12V 22Ah Batteries

SOLAR DOUBLE GATE KIT

24V Motors (x2)
2 Remotes
Controller
Booster Aerial
Post & Gate Brackets
Solar Panel (Plug-in cables pre-wired)
Solar Panel Mount Bracket
Solar Controller
IP Rated Battery Box
2 12V 22Ah Batteries

AUTO MATION LAB

GATE INSTALLER
Workshops

**FASTER INSTALLS + COMPLETE ACCESS CONTROL
= HAPPY CUSTOMERS + MORE BUSINESS**



CRASH COURSE
CONNECTING REMOTES AND
BASIC PROGRAMMING

TIPS & TRICKS
SLIDING & SWING MOTORS
SLIDING, CANTILEVER & SWING GATES

ACCESS CONTROL
WIRING & INSTALLING ACCESSORIES
INSTALLING A GSM & SOFTWARE

POWER OPTIONS
EXTERNAL TRANSFORMERS
SOLAR POWER

**WORKSHOPS
TAKE
30-60MIN**

**BOOKINGS
LABRATS@DOWNEE.COM.AU
OR CALL US FOR DETAILS**

**AND IT'S
ON THE
HOUSE**

BANDITO



KIT#1-2

Motor
2 SUB Remotes
Palm Programmer
Controller + Receiver

#1 BANDITO-1

#2 BANDITO-SP-1

KIT#3-4

Motor
4 SUB Remotes
Palm Programmer
Controller + Receiver
2, 10m Reflective Sensors
Booster Aerial

#3 BANDITO-PRO-1

#4 BANDITO-PRO-SP-1



KIT#5-6

2 Motors
2 SUB Remotes
Palm Programmer
Controller + Receiver

#5 BANDITO-2

#6 BANDITO-SP-2

KIT#7-8

2 Motors
4 SUB Remotes
Palm Programmer
Controller + Receiver
2, 10m Reflective Sensors
Booster Aerial

#7 BANDITO-PRO-2

#8 BANDITO-PRO-SP-2

CUSTOM KIT

**BUILD A
KIT USING
ANY PARTS**

KITS

#1,2,5,6



Motor/s



SUB Remotes



Palm Programmer



Control Box



External Transformer

SP
KITS
ONLY

#3,4,7,8



Motor/s



SUB Remotes



Palm Programmer



x2

10m
Reflective Sensors



Booster
Aerial



Control
Box



External
Transformer

SP
KITS
ONLY



TECHNICAL

MOTOR

		BANDITO
Motor Voltage	VDC	24
Motor Power	W	120
Duty Cycle	%	80
Opening Per Hour	-	-
Opening Time to 90°	sec	18
Torque	Nm	350
Manufacturers Rating	max. kg	400
Protection Degree	IP	43
Dimensions (L-W-H)	mm	330-187-157
Motor Weight	kg	13.8
Working Temperature	°C	-20 + 55

REMOTE & RECEIVER

Remote	Rolling Codes
RX4 Receiver	4 Channel

CONTROL BOARD

Control Board		14A
Input Voltage	VAC	230
Dimensions (L-D-H)	mm	222-110-175
Max. Cable Distance	mtrs	10

PRO Gate ACCESSORIES

PRO INSTALL



MEMO NET

- Save DEA control board data on your PC (Transmitters & Parameters)
- Copy data onto new control boards for multiple installations.

AAC-MEMONET

COMING IN 2016

See our website for more details



PRO BOX *new*

- A hub to expand accessories connections with dedicated input terminals
- No more confusing wiring
 - Space for additional gate accessories drivers
 - DIN rail accessories compatible
 - Easy access for maintenance and servicing

AAC-PROBOX

ACCESS CONTROL



SUB

- Water Resistant
- 8 Colours
- Connect up to 4 automation items
- Suits Key Automation
- Use with any motor, just add a Recalone.

AAC-SUB-C



ZIGGY

- Black or white
- 2 or 4 channel
- Suits DEA systems
- Use with any motor, just add a Recmio

ZIGGY-2B

ZIGGY-4B



UNIVERSAL RECEIVERS

- Suits DEA accessories AAC-RECMIO
- Suits Key Automation accessories

AAC-RECALONE



PROXIMITY KEYPADS

- Blue backlit keys
- Up to 1000 codes
- Card or Key Tag
- 2 channels

AAC-DIGIPRO

AAC-DIGISLIM



WIRELESS DEAPAD

- Suits DEA systems
- Batteries included

AAC-DIGIRAD



WIRELESS KEYPAD

- Suits Key Automation systems
- Batteries included
- Digital keypad with back light

AAC-KEYPAD

SAFETY



BOMBPROOF PHOTOCELLS

- High-impact die cast alloy body
- 40m range
- Hard-wired
- Relay NO/NC

AAC-PH40



20m PHOTOCELLS

- 20m range
- Hard-wired

AAC-PH20



REFLECTIVE SENSOR

- 10m - 15m models
- Pre-wired with connector
- Relay NO/NC

AAC-PHR10

AAC-PHR15



SAFETY EDGE

- Super sensitive, the ultimate obstacle detector for sliding gates
- Covers the entire-gate edge
- Easy wireless install

EDGESHORT

EDGELONG



FLASHING LIGHT

- 24V
- 360 degrees
- Xenon strobe

AAC-FL3

ACCESS CONTROL



OPEN/CLOSE CONTROL

- Pre-wired with 1m lead
- IP65 enclosure
- Easy to install

AAC-PUSHB



GSM CONTROLLER

- Operate a gate by mobile phone, computer or tablet
- Call, SMS, app or web (Free)
- Event log

AAC-GSM



DIGITAL TIMER

- Keep a gate open for customised set periods
- 7 day, 24 hour timer
- Mains power

AAC-DIGITALTIMER



VEHICLE DETECTOR

- 10 sensitivity settings
- Optimum sensitivity setting
- Lighting & surge protection
- Two sizes: 1.2x2.4m & 1.8x3.6m

AAC-LOOP

AAC-LOOPBIG



EXIT SENSOR

- Installed with new or existing drive ways
- Pre-wired 15m lead-in cable
- Easy to install

AAC-PROBE



BOOSTER AERIAL

- Extend a remote's range up to 50m
- Pre-wired with connector

AAC-ANT433


SECURITY



VERTICAL ELECTRIC LOCK

- Suitable for inside or outside manual or automatic doors
- Pedestrian or drive-through gates

AAC-PLA10



MAGNETIC LOCK

- 200kg lock strength
- 24V Power Supply
- Supplied with all power components

AAC-MGL



HORIZONTAL ELECTRIC LOCK

- Suitable for inside or outside manual or automatic doors
- Pedestrian or drive-through gates

AAC-PLA11



CISA LOCK

- Rotary hook deadbolt in extruded aluminium
- Metal striker with stainless steel "swinging rod"
- Operation from outside with a key or from inside with a push-button or a key

AAC-CISALOCK

POWER



30W SOLAR KIT

- 30W Panel
- Plug-n-play cables
- 22Ah battery (2)
- Solar controller
- Steel battery box
- Optional panel post

AAC-SUN30



BACK UP BATTERIES

- Back up battery for 24V automation systems

DEA

KEY AUTOMATION

AAC-BB24-DEA

AAC-BB24-14ALL

Call us to discuss
your install!



M
xide
BATTERIES

MUFFLERS

NO MONEY
-DOWN-

Crazy Painters
Baron • Roth • Kelly
are next to

MOORE'S
S...
LO.



Tech
Support



1800 241 733

1M NYLON RACK WITH STEEL CORE

Code	Dimensions	Load (max.)
------	------------	-------------

AR-4FPNR	20 x 28 x 1000 with 4-fixing points	500kg
----------	-------------------------------------	-------



Code	Dimensions	Load (max.)
------	------------	-------------

AR-6FPNR	20 x 28 x 1000 with 6-fixing points	700kg
----------	-------------------------------------	-------



Code	Dimensions	Load (max.)
------	------------	-------------

AR-6FPNRUP	20 x 28 x 1000 with 6-fixing points	700kg
------------	-------------------------------------	-------



1M STEEL RACK


Code	Description
------	-------------

AR-STERHOL12	1m Bolt-On Steel rack
--------------	-----------------------



Code	Description
------	-------------

AR-STER	1m Weld-On Steel rack
---------	-----------------------




Code	Description
------	-------------

AR-263	Bolt Through Spacer
AR-264	Weld on Spacer



Code	Description
------	-------------

AR-STERBIG	2m Weld-On Steel rack
------------	-----------------------



Code	Description
------	-------------

AR-OFFSETBRACKET	Weld-on offset bracket for steel rack
------------------	---------------------------------------





MADE IN ITALY



BOOM GATE

4m

24V Boom Motor
Big LED warning light both sides
4m Boom
Boom Connector
Mount Base

ABG-BOOM4

6m

24V Boom Motor
Big LED warning light both sides
6m Boom
Boom Connector
Mount Base


ABG-BOOM6

8.5m

new

24V Boom Motor
Big LED warning light both sides
8.5m Boom
Boom Connector
Mount Base

ABG-BOOM8



REPLACEMENT BOOM - ALUMINIUM



Code	Type
ABG-AST4	4m Boom
ABG-AST6	6m Boom
ABG-AST8	8.5m Telescopic Boom

OPTIONAL



new

Freestanding
Boom Support
ABG-APF



new

Hinged
Boom Support
ABG-APM



FEATURES

- One touch programming
- Ability to change open vs closing speeds
- Built-in led flashing light both sides
- Double spring (6m model) to counter balance movement
- Robust gears and levers for reliable functioning over time
- Energy saving mode
- Universal box: Bar can be installed both right or left

TECHNICAL

BOOM GATE	4m	6m	8.5m
Motor Voltage	24	24	24
Motor Power	-	-	-
Duty Cycle	% 80	80	80
Opening Per Hour	-	-	-
Opening time to 90°	3.5	6	6
Torque	200	250	250
Protection Degree	IP 54	54	54
Dimensions (H-W-D)	mm 360 - 220 - 1110	450 - 280 - 1188	450 - 280 - 1188
Weight	kg 47	67	67
Working Temperature	°C -20 + 55	-20 + 55	-20 + 55

CONTROL BOARD

Control Board	CT102 24	CT102 24	CT102 24
Input Power	VAC 230	230	230

MOTOSHAFT

**MADE IN MELBOURNE
WITH AUSTRALIAN &
ITALIAN PARTS**



TAILOR-MADE SYSTEM FOR LIGHTWEIGHT DOORS

BENEFITS

- Safe: No coil spring to tension on site
- Fast & easy install
- No electrician: Pre-wired 3-pin plug connects to 240V power point
- Plug-n-Play
- ACMA certified



APPLICATION

- Max. shutter specs: 250kg, 4.5m high x 7m wide
- Shop fronts, store rooms, counters and kiosks
- Good Lifts

COMPATIBLE DOORS

- Aluminium Shutters
- Poly Shutters
- Light Steel Shutters

AUTOMATION ACCESSORIES

Access Control & Safety Accessories
are featured on page 26-27



SHORT CUTS

Supplied with each Motoshaft,
Short Cuts Manuals use
straight forward instructions
without the bullsh*t.


Look for Short Cuts videos
on our website.

Motoshaft is made-to-measure by Downee in Australia. Motoshaft uses an Italian-made automation system with Australian-made hardware. Like all Trade First products Motoshaft is fast and easy to install. Supply the curtain details and Downee's engineers will spec the shaft system, ready to be bolted into place.

Motoshaft uses a 24V or 230V central motor, constant force springs mounted on shaft cut-to-size.

SUPER-LIGHT, MOST TIMES MOTOSHAF IS EASILY LIFTED BY TWO PEOPLE

LENGTH	WEIGHT
1.5m-3m	20-25kg
3m-4m	25-30kg
4m-5m	40-50kg
5m-7m	50-80kg



**MADE
HERE
BY US**





AUSTRALIAN MADE HARDWARE

From **Downee**

Trade First products make installation quicker, easier and improve overall performance of a gate system.


Trade First products are designed and made by Downee.

PRO MOTOR BASES

Trade First bases are designed to place the motor to the rack on all gates styles.

Use the easy Base Selector to get the best match.

See page 18



- 1 Cable entry holes
- 2 Matches motor height to gate frame & wheels
- 3 Pre-drilled holes for the motor base
- 4 Hot dip gal finish
- 5 Slotted holes to align motor to rack
- 6 No ChemSet = less trips to site

SLAB

For Residential Cantilever Gates. Fast, easy install & perfect gate-to-wheel alignment every time

See page 49



RODMAN BRACKETS

Quick & Easy adjustment

- 1 Adjusts A & B distances
- 2 Room for a drill
- Tough 10mm steel construction & hot dip gal finish
- Fits to 100 SHS post & 40mm cross rail
- No welding. Mount with Tek screws

Short Cuts video on our website



- 1 Pre-drilled holes for the motor base
- 2 Wheels bolt directly onto threaded rods
- 3 Guide post sleeve mounts left or right
- 4 No ChemSet needed

Wheels and motor sold separately.





EXTERNAL TRANSFORMER

Not everyone has 230V at the gate. A 600mm deep trench will cost a bomb.

The external transformer comes with a 3-pin plug pre-wired to plug straight into a power point inside or near the house. This lets you run 24V garden cable to the gate. 24V cable can sit just below the surface.

External transformer gives the installer control.


Easy: Makes all the install electrical work 24V

Economical: Removes the need for 230V power point wiring to the gate

Versatile: Suits all 24V automation

Flexible: Connect to a power point up to 50m from the gate

TYPICAL LAYOUT



Workshop Tips

Plug a motor into a power point up to 50m away? What's not to love!

Our Tech team build these to make installs faster and easier with the best result.







mhouse EASY INSTALL

Mhouse is the first system designed to make automation installs so easy anybody can install it.

Fast and simple connections. Mhouse's unique ECSbus uses colour-coded cable connectors and labelled terminals in matching colours.

Connect up to seven pairs of photocells using only two wires and without having to worry about polarity.

Programming the motor is as simple as pressing two buttons for three seconds to program all functions. If you need to adjust a parameter you won't need any tools, the main functions are set by remote.

Mhouse Kits are available in a basic Starter Kit or the Full Kit with everything needed to get the system up and running.



SL1S

mhouse **MADE IN ITALY**



EXTERNAL TRANSFORMER

START

Motor
1 Remote

ASL-SL1S/02

FULL

Motor
2 Remotes
2 Obstacle Sensors
Signal Booster Warning Light

ASL-SL1S

START

Motor
1 Remote
External Transformer

ASL-SL1S/02SP

FULL

Motor
2 Remotes
External Transformer
2 Obstacle Sensors
Signal Booster Warning Light

ASL-SL1SSP

**QUICK
MOTOR
SELECTOR**

**PAGE
8**

KITS

START



Motor



Remote



External Transformer

FULL



Motor



Remotes



Obstacle Sensors



Signal Booster
Warning Light



External
Transformer

**Colour-coded wires with
matching terminals?**

Hellyeah!



TECH SUPPORT 1800 241 733

SL10S

mhouse MADE IN ITALY



START

Motor
1 Remote

ASL-SL10S/02

FULL

Motor
2 Remotes
2 Obstacle Sensors
Signal Booster Warning Light

ASL-SL10S

EXTERNAL TRANSFORMER

START

Motor
1 Remote
External Transformer

ASL-SL10S/02SP

FULL

Motor
2 Remotes
External Transformer
2 Obstacle Sensors
Signal Booster Warning Light

ASL-SL10SSP




EXTERNAL TRANSFORMER



Page 33

SOLAR POWER KIT



The solar panel option removes the need for a power supply at the gate. This kit includes solar panel, two batteries plus all plug-in cables needed to complete an installation.

Code	Description
AAC-SUN	10w Solar Power Kit

START vs FULL KITS

Start Kits only include the basic motor and one remote control.

Full Kits are a more economical way to buy an extra remote and safety accessories.

TECHNICAL

MOTOR		SL1S	SL10S
Motor Voltage	V	24	24
Motor Power	W	370	420
Duty Cycle	%	20	20
Opening Per Hour		14	14
Opening Speed	m/min	15	15
Thrust Max.	N	180	340
Manufacturers Rating	max. kg	400	550
Protection Degree	IP	44	44
Dimensions (H-W-D)	mm	300 x 163 x 295	300 x 163 x 295
Motor Weight	kg	9	10
Working Temperature	°C	-20 to 50	-20 to 50

WG2S

mhouse MADE IN ITALY



EXTERNAL TRANSFORMER

START

Twin 24V Motors
1 Remote

ASW-WG2S/02

FULL

Twin 24V Motors
2 Remotes
2 Obstacle Sensors
Signal Booster Warning Light

ASW-WG2S

START

Twin 24V Motors
1 Remote
External Transformer

ASW-WG2S/02SP

FULL

Twin 24V Motors
2 Remotes
2 Obstacle Sensors
Signal Booster Warning Light
External Transformer

ASW-WG2SSP

SOLAR POWER



10w Solar Power Kit
AAC-SUN

KITS

START



Motor/s



Remote



Control
Box



External
Transformer

SP
KITS
ONLY

FULL



Motor/s



Remotes



Obstacle Sensors



Signal Booster
Warning Light



Control
Box



External
Transformer

SP
KITS
ONLY




TECH SUPPORT 1800 241 733

WG10S WG20S

mhouse

MADE IN ITALY



WG10S



START

24V Motor
1 Remote

ASW-WG10S/02

FULL

24V Motor
2 Remotes
2 Obstacle Sensors
Signal Booster Warning Light

ASW-WG10S

EXTERNAL TRANSFORMER

START

24V Motor
1 Remote
External Transformer

ASW-WG10S/02SP

FULL

24V Motor
2 Remotes
External Transformer
2 Obstacle Sensors
Signal Booster Warning Light

ASW-WG10SSP

SOLAR POWER



10w Solar Power Kit
AAC-SUN

WG20S



START

Twin 24V Motors
1 Remote

ASW-WG20S/02

FULL

Twin 24V Motors
2 Remotes
2 Obstacle Sensors
Signal Booster Warning Light

ASW-WG20S

EXTERNAL TRANSFORMER

START

Twin 24V Motors
1 Remote
External Transformer

ASW-WG20S/02SP

FULL

Twin 24V Motors
2 Remotes
External Transformer
2 Obstacle Sensors
Signal Booster Warning Light

ASW-WG20SSP

**QUICK
MOTOR
SELECTOR** **PAGE
8**

FEATURES

- Post, Wall or Pillar mounted system
- Smooth and quiet operation
- Partial opening for pedestrian access
- Easy connection with colour-coded terminals
- Tough aluminium body
- Variable Speed

*Tech
Support*



1800 241 733

TECHNICAL

MOTOR		WG2S	WG10S
Motor Voltage	V	24	24
Motor Power	W	80	85
Duty Cycle	%	50	40
Opening per hour		30	26
Opening Speed	m/min	1	1
Torque	N	460	600
Manufacturers Rating	max. kg	250	450
Protection Degree	IP	44	44
Dimensions (H-W-D)	mm	729 x 85h 100	908 x 100 h 117
Motor Weight	kg	6	10
Working Temperature	°C	-20 to 50	-20 to 50

WS200S

mhouse MADE IN ITALY

new



WS200S

START

Twin Motors
1 Remote

ASW-WS200S/02

FULL

Twin Motors
2 Remotes
2 Obstacle Sensors
Signal Booster Warning Light

ASW-WS200S

EXTERNAL TRANSFORMER

START

Twin Motors
1 Remote
External Transformer

ASW-WS200S/02SP

FULL

Twin Motors
2 Remotes
External Transformer
2 Obstacle Sensors
Signal Booster Warning Light

ASW-WS200SSP

SOLAR POWER



10w Solar Power Kit
AAC-SUN

KITS

START



Motors



Remote



Control Box



External Transformer

SP
KITS
ONLY

FULL



Motors



Remotes



Obstacle Sensors



Signal Booster
Warning Light



Control Box



External Transformer

SP
KITS
ONLY

FEATURES

- Wall or Pillar mounted system
- Low voltage option
- Self programming
- Partial/Single leaf opening for pedestrian access
- Easy connection with colour-coded terminals
- Up to 150 remotes
- Tough aluminium body bolts directly to concrete
- 2 year warranty

TECHNICAL

MOTOR

		WS200S
Motor Voltage	V	24
Input Power	W	90
Duty Cycle	%	30
Opening Per Hour		20
Opening Speed	rpm	1.4
Torque	Nm	50 (150 peak)
Manufacturers Rating	max. kg	250
Protection Degree	IP	54
Dimensions (H-W-D)	mm	237 x 155x 290
Motor Weight	kg	7kg
Working Temperature	°C	-20 to 50C

WU200S

mhouse MADE IN ITALY

new

WU200S

START

Twin Motors
1 Remote

ASW-WU200S/02

FULL

Twin Motors
2 Remotes
2 Obstacle Sensors
Signal Booster Warning Light

ASW-WU200S

SOLAR POWER KIT



The solar panel option removes the need for a power supply at the gate. This kit includes solar panel, two batteries plus all plug-in cables needed to complete an installation.

Code	Description
AAC-SUN	10w Solar Power Kit

KITS

START



Twin Motors



Remote



Control Box

FULL



Twin Motors



Remotes



Obstacle Sensors



Signal Booster
Warning Light



Control Box



TECHNICAL

MOTOR

		WU200S
Motor Voltage	V	24
Motor Power	W	120
Duty Cycle	%	80
Opening per hour		60
Opening Speed	rpm	1.25
Torque	Nm	120 (250 peak)
Manufacturers Rating	max. kg	400
Protection Degree	IP	67
Dimensions (H-W-D)	mm	230 x 206 x 88
Motor Weight	kg	15
Working Temperature	°C	-20 to 50C

EASY INSTALL ACCESSORIES

ACCESS CONTROL



4-FUNCTION REMOTE CONTROL

- Lithium Battery included
- Self-learning function
- Rolling codes

AAC-GTX4



WIRELESS KEYPAD

- 3 gate modes
- No wiring
- For entry without a remote

AAC-DS1



VIDEO INTERCOM

- Easy installation
- Plug-n-play
- Touch screen
- Records callers 24/7

AAC-VIDEINT



230V RECEIVER

- Connects other 230V automation to the gate remote: Garage door, garden lights, security systems etc.

AAC-RC2



GARAGE DOOR PIGGYBACK

- Connect your 24V garage door to the gate remote (GTX4 remote only)

AAC-R2



KEY SWITCH

- Hardwired
- LED back light
- Securely open/close

AAC-KS100

SAFETY



WALL MOUNTED OBSTACLE SENSORS

- Protect cars and pedestrians
- Hardwired
- Plug-n-play

AAC-PH1



OBSTACLE SENSORS

- Free standing
- Strong cast aluminum body
- 485mm or 985mm high

AAC-PT50 (485h)

AAC-PT100 (985h)



SIGNAL BOOSTER WITH FLASHING LIGHT

- Announces the gate opening
- Boosts the remote's range

AAC-FL1

LOCKS



LOCK OPERATOR

- Required for electric locks

AAC-EL1



VERTICAL LOCK

- Uses 12V power
- Suitable for indoor or outdoors
- Manual or automatic doors
- Pedestrian or driveway gates

AAC-PLA10



HORIZONTAL LOCK

- Uses 12V power
- Suitable for indoor or outdoors
- Manual or automatic doors
- Pedestrian or driveway gates

AAC-PLA11



CISA LOCK

- Rotary hook deadbolt in extruded aluminium
- Metal striker with stainless steel "swinging rod"
- Operation from outside with a key or from inside with a push-button or a key

AAC-CISALOCK

POWER



10W SOLAR POWER KIT

- Supplies all the motor's power needs
 - Self-contained system. No power cable laid
- AAC-SUN



WS200S BACK-UP BATTERY

- In case of power failure

AAC-PR3



24V EMERGENCY BACK-UP BATTERY

- In case of power failure
- For all mhouse products except WS200S

AAC-PR1

PICK UP A **new**
**PRE-CUT
WIRING PACK**

**FROM OUR
TRADE OUTLETS**

SLIDING GATE HARDWARE



Workshop Tips


Here's the low-down on wheel ratings.

A 200kg gate needs two wheels each rated more than 100kg.

Three wheels on a gate? Just don't.



Bolt Down Track, 20mm Wheel - Galvanised



Code	size	Bundle
SGT3	3000 x 3 mm	20
SGT4	4000 x 3 mm	20
SGT6	6000 x 3 mm	20

Stainless steel

Code	size
SGT3SS	3000 X 3 mm

Concrete-in Track, 20mm Wheel - Galvanised



Code	size	Bundle
287/20CT	3m x 3mm	10
287/20CT-6	6m x 3 mm	10
287G19	3m x 4mm	54


Recess Kit for 287G19 Track



Code	Suits
287FP-G	287G19

- To be used with 287G19

Track Joiners



Code	Diameter
287/20-JOINER	14mm
287G19-JOINER	11mm

Bottom Mount Gate Wheel - 20mm track



Code	Rating	D
327-80S	200kg	80 Ø
328-100	400kg	100 Ø

Recessed Gate Wheel - 20mm track

Code	Rating	D
337-80S	180kg	80 Ø
300550	300kg	90 Ø
430/100	380kg	100 Ø
300551H	400kg	120 Ø
338-160	600kg	160 Ø

Wheels for Ø 16mm Track

Code	Rating	D
337-90	190kg	90 Ø

Wheels for V Track

Code	Rating	D
336-90	300kg	90 Ø

Wheels for Ø 20mm Track - Stainless Steel

Code	Rating	D
300550SS	300kg	90 Ø

Bolt Through Gate Wheel



Code	Rating	D
310-100S	220kg	100 Ø
300551	450kg	120 Ø
300552	575kg	160 Ø
300553	625kg	200 Ø

Heavy Duty Double Wheel



Code	Rating	D
339-120	1200kg	117 Ø

- 4 Ball bearing each set

SLIDING GATE

Top Guide



Code	Frame Size	Ctn
CG-9728	40-75	ea



Code	Frame Size	Ctn
CG-9728-140	40-60	ea

Guide Rollers



Code	W x L	Ctn
300557	37x36mm	20



Code	W x L	Ctn
23030	30x40mm	20
300558	40x60mm	20



Stainless Steel Thread and Nut with non-marking roller

Code	Size	Ctn
230-50NM		



Ball Bearing Guide with Nylon Roller

Code	Size	Ctn
246-30	30mm	20



Code	Size	Ctn
114-40	40mm	10
118-60	60mm	4

Features two sealed ball bearings plus stainless steel bolt and bearing cases



Code	W x L
253-40SP	40x140mm
119-40	40x250mm

Side Mount Guide Roller



Code	W x L	Ctn
253-40	40x224mm	3



Code	Size
256-40	75-40mm


Single Roller Guide



Code	Size	Ctn
CG-252	40x57mm	2

SLIDING GATE

Side Bearing Guide



Code	To suit	Ctn
CG-9764	40mm angle support	2

• Uses rollers 246.30

Top Guides



Code	Frame Size	Ctn
25530	35-62	ea
25530BB	35-52	ea

• Roller size 30x40



Code	Frame Size	Ctn
CG-251	70-110	ea

• Roller size 40x60


Parrot Beak Lock Kit



Code	Frame Size	Ctn
PBL40KIT	suit 40x40 mm post	5
PBL50KIT	suit 50x50 mm post	5



Guide Block with angle slide plates



Code	To suit	Ctn
NYBL75	75mm post	ea
NYBL100	100mm post	ea

Stops




Code	Type
300507	Weld on stop
300507B	Bolt on stop



Code	Type
202F-A	Hydraulic stop

Sliding Gate Catch




Code	Gate frame	Ctn
SGC-50	50mm	ea
SGC-75	75mm	ea
SGC-100	100mm	ea

TELESCOPIC

4 to 15m GATES **FAC** MADE IN ITALY

SLIDING GATE
SYSTEM FOR
TIGHT SPACES



START PACK

Code	Description
TGK-004-START	Opening to 4m/ Max. 600kg combined leaf weight
TGK-008-START	Opening to 8m/ Max. 600kg combined leaf weight
TGK-011-START	Opening to 11m/ Max. 800kg combined leaf weight
TGK-015-START	Opening to 15m/ Max. 800kg combined leaf weight



x2 in 11m and 15m packs

Inline Guide Roller

Quick Coupler

Pulley Hardware

Pulley Covers

Top Guide

(full pack only)



x2 in 11m and 15m packs

FULL PACK

Code	Description
TGK-004-FULL	Opening to 4m/ Max. 600kg combined leaf weight
TGK-008-FULL	Opening to 8m/ Max. 600kg combined leaf weight
TGK-011-FULL	Opening to 11m/ Max. 800kg combined leaf weight
TGK-015-FULL	Opening to 15m/ Max. 800kg combined leaf weight

Workshop Tips

How the hell does
1 + 1 = 2.5?!

These gates need a beefier motor because Gate2 travels twice as fast and places truckloads more strain on the motor. This may help.

Gate1 is 150kg +
Gate2 is 160kg (x2 = 320kg)
= 470kg EGW


Oh, and a telescopic gate on a slope
will end in tears.



**SHORT
CUTS**

**ALL BUSINESS
NO BULLSH*T**

MEGA TELESCOPIC






GUARDIAN CANTILEVER


BIG GATES UP TO 12M

MADE IN ITALY



GUARDIAN GATE PACK


GAR-150-FULL




1 Base Roller Assembly



2 Tail Roller Assembly



3 4 Tail Adjuster Plates



3 4 Tail Mount Plates



5 Adjustable Guide Rollers

RESIDENTIAL CANTILEVER

WANT TO STEP UP INTO THE COMMERCIAL BIG GAME? BUILD YOUR CANTILEVER SKILLS IN THE RESI GAME.




Workshop Tips

The Kings of Cantilever

Only the best gate guys tackle the Rolls Royce of gates. Show your high-end customers who da man.

Want to know more?
Ask us how to **nail these suckers!**



Why should you do resi cantilever gates?

They're smoother, quiet and more reliable than regular sliding gates.


Expensive homes want them.

Not all gate guys will offer them, only the serious ones.



SLAB CANTILEVER MOUNTING SYSTEM

Code	Suits
SLAB-J	4m/100kg or 3m/150kg
SLAB-R	4m/150kg or 3m/200kg



The Slab makes cantilever systems possible on projects with a modest budget. By providing a straight base for motor & wheels, Slab seriously reduces your installation time and visits to site.

RESIDENTIAL CANTILEVER HARDWARE KITS

For 3 & 4m Gates

Code	Description
CGS-150KIT-3	2x 3m Monorail 2x 5-wheel carriages 1x end cup 1x end wheel 4x rollers 30mm
CGS-150KIT-6	1x 6m Monorail 2x 5-wheel carriages 1x end cup 1x end wheel 4x rollers

Optional

Code	Description
CG-9728	Top guide with bearing rollers
CG-9764	Side guide with bearing rollers

**PISSED
OFF
WITH
US?**



**ANNOYED WITH
OUR PRODUCTS?**

TELL US!

RANT@DOWNEE.COM.AU

**WE CAN'T BE AWESOME
IF YOU DON'T TELL US.**

CANTILEVER HARDWARE



CANTILEVER WHEELS PRO-RANGE



5 Wheel Carriages up to 2000kg

Code	Type
CGS-350M	small
CGS-350P	medium
CGS-350G	large



8 Wheel Carriages up to 4000kg

Code	Type
CGS-350.8M	small
CGS-350.8P	medium
CGS-350.8G	large

Hard Plate



Code	Type
CG-05P	medium
CG-05G	large

Cantilever Track



Code	Type	Length	Width	KG
CGS-345M	small	3m	68	18.5
CGS-345M-6	small	6m	68	36.5
CGS-345P	medium	3m	100	35
CGS-345P-6	medium	6m	100	7
CGS-345G	large	3m	140	67
CGS-345G-6	large	6m	140	134

End Wheels




Code	Type
CGS-347M	small
CGS-347P	medium
CGS-347G	large

Adjustable End Bracket



Code	Width
CG-30M	53-76mm
CG-30P	86-114mm
CG-30G	103-150mm

Adjustable Angle Bracket for End Cup



Code	A	B
CG-15M	155	165
CG-15P	155	190
CG-15G	155	220

End Cup



Code	Type
CGS-346M	small
CGS-346SCM	small, self centering
CGS-346P	medium
CGS-346G	large

Adjustable Tension Bar



Code	Suits
CGI-40	60mm SHS

DRIVEWAY SWING GATE



Workshop Tips

Hinge ratings are based on the EGW. A 100kg gate 2m wide with hinges 2m apart needs two hinges rated at 100kg+. Knowing the EGW is super important and easy to work out.

This might help you get your head around it.

Actual gate weight x width ÷ height = EGW

Choose hinges with a combined rating higher than the EGW.



MADE FROM ANGLE STEEL.



Bearing Hinge - Steel Tube

Code	Rating	Suits
VC4351-040*	150kg	40x40
VC4352-050*	300kg	50x50

* Sold as a pair

Upper Bearing Hinge - Bolt on



Code	Rating	D
86L-P	200kg	45 Ø
85L-M	350kg	50 Ø
85L-G	500kg	70 Ø

Bottom Bearing Hinge - Bolt on



Code	Rating	D
87L-P	200kg	45 Ø
87L-M	350kg	50 Ø
87L-G	500kg	70 Ø

Upper Bearing Hinge - For Concrete Post



85PST

Code	Rating	D
85PST-M	350kg	50 Ø
85PST-G	500kg	70 Ø
85XL	4000kg	110 Ø

Bottom Bearing Hinge - Bolt down



87PST-P

Code	Rating	D
87PST-P	200kg	45 Ø
87PST-M	350kg	50 Ø
87PST-G	500kg	70 Ø
87XL	4000kg	110 Ø

Upper Bearing Hinge - Weld on



86W-P

Code	Rating	D
86W-P	200kg	45 Ø
85W-M	450kg	50 Ø
85W-G	650kg	70 Ø



85W


Bottom Bearing Hinge - Weld on - Concrete in



Code	Rating	D
87W-P	200kg	45 Ø
87W-M	450kg	50 Ø
87W-G	650kg	70 Ø

DRIVEWAY SWING GATE

180 Degree Gate Hinge



Code	Rating
236-M18	200kg
236-M22	350kg

Pintle Hinge - Bolt on



Code	Rating	Ctn
94-P	200Kg	20
94-G	300Kg	10
96-G*	300Kg	10

* Features Ball Bearing

Pintle Hinge - Weld on



Code	Rating	Ctn
92-G	300kg	10

Adjustable Pintle Hinge



Code	Rating	Ctn
100P	100kg	10
100G	200kg	10

Adjustable Clamp Hinge



Code	Rating	Use with	Ctn
186-M18	100kg	192-30	20
186-M22	160kg	192-35	10
186-M27	260kg	192-40	10



Code	size	Ctn
192-30	35 X 35	20
192-35	40 X 40	10
192-40	50 X 50	10

Square Plate with Adjustable Nut



Code	Ctn
159-M20	10

Adjustable Bolt on Pintle Hinge



Code	Rating	Ctn
161-M20	150Kg	20
161-M24	225kg	10

Adjustable Weld on Pintle Hinge




Code	Size and Rating	Ctn
155-M20	M20 - 150kg	20
155-M24	M24 - 225kg	10

Thru Bolt Pintle Hinge



Code	Rating	Ctn
130-M20	150Kg	20
130-M24	225kg	10

Heavy Duty - Weld on - Butt Hinge



Code	Rating	Ctn
445-90	800kg	10



Code	Rating	Ctn
456-180	800kg	4



Code	Rating	Ctn
460-180	800kg	4

Bolt Down Gate Stop - Zinc Plated



Code	Ctn
171	10

Bolt Down Gate Stop



Code	Ctn
300508B	25

Concrete-in Gate Stop



Code	Ctn
300508	25

PEDESTRIAN GATE

Weld On - Drop Hinge



Code	Rating	Ctn
497-100	100kg	16

- Includes brass pivot, washer & bearing

Rising Hinges - Zinc Plated



Zinc Plated

Code	Ctn
G7R	1 pr
G7L	1 pr


- Both Top & Bottom hinges provided

Decorative Drop Hinge




Code	Rating
440-150	100kg
440-125	80kg

Ball Bearing Hinges - Loose Pin - Zinc Plated




Code	Ctn
G4DR	10pr
G4DL	10pr

Spring Loaded Hinges



Code		Ctn
PH7S	Zinc Plated	30 pr
PH7SS	Stainless Steel	30 pr

Ball Bearing Gate Hinges - Bolt-on - Fixed Pin




Zinc Plated

Code	Ctn
G1R	12 pr
G1L	12 pr

Galvanised

Code	Ctn
G1RGAL	12 pr
G1LGAL	12 pr

Bolt on Ball Bearing Hinges




Zinc Plated

Code	Ctn
G8R	15 pr
G8L	15 pr

Galvanised


Code	Ctn
G8RGAL	15 pr
G8LGAL	15 pr

Scotch T Hinges - Galvanised - Brass Pin



Code	A	Ctn
H150G	150 mm	20
H200G	200 mm	20
H250G	250 mm	10
H300G	300 mm	10

Ball Bearing Hinges




Zinc Plated

Code	Ctn
G4R	20 pr
G4L	20 pr

Galvanised


Code	Ctn
G4RGAL	20 pr
G4LGAL	20 pr

Butt Hinges



Zinc Plated

Code	Size	Ctn
HFP100X75	100x75	20 pr
HFP100X100	100x100	30 pr




Stainless Steel

Code	Size	Ctn
HSS10075	100x75	20 pr
HSS100100	100x100	10 pr

Code	Size	Ctn
NBZP8560	85x60	50 pr


PEDESTRIAN GATE

Heavy Duty Adjustable Tubular Gate Hinge - Zinc Plated




Code	Gate frame	Ctn
LBGA40	40x40	10pr
LBGA3825	38x25	10pr

Gate Hinge - Fixed Pin - Zinc Plated




Code	Ctn
TGP100	30

Gate Hinge - Adjustable Pin - Zinc Plated




Code	Ctn
TGP110	30

Self Closing Gate Hinge - Fixed Pin - Zinc Plated



Code	Ctn
TGP120	30


Single Gate Packs



Code	Ctn
SGP	10


PEDESTRIAN GATE

Double Gate Pack - Zinc Plated



Code	Ctn
DGP	5

Gate Hinge Packs - Zinc Plated




Code	Ctn
TGP230	20

Fixed Top - Adjustable Bottom

Code	Ctn
TGP240	20

Self Closing Gate Hinge Packs - Zinc Plated



Fixed Top Self Closing - Fixed Bottom

Code	Ctn
TGP250	20

Adjustable Top - Fixed Self Closing Bottom

Code	Ctn
TGP260	20


**HINGE PACKS
INCLUDE
BUSHES FOR:**

25 x 25 x 1.2 tube
30 x 30 x 1.2 tube
38 x 25 x 1.2 tube



LATCHES

Broadhurst Lock Kits



Code	Description	Ctn
BHL	Broadhurst lock	ea
BHLDBL*	Double lock box kit	ea
BHLLB	lock box	ea

- *CONTENTS DOUBLE LOCK BOX KIT
- 2 x Lock Boxes
 - 1 x Slide Bar
 - 1 x Slide Bar Catch For Single Gate
 - 1 x Slide Bar Catch for Double Gates
 - 1 x Lock Box Plate

Gate Lock - Black



Code	Gate Frame
73-40BLACK	40
73-50BLACK	50

Gate Lock - Mill



Code	Gate Frame
73-40MILL	40
73-50MILL	50

Aluminium Striker for Gate Lock 73



Code
73-AS


Coil Type Spring - Zinc Plated



Code	Description
G305	360mm Long
389-280	280mm Long

- Tension Adjuster and Lock Pin

Hasp & Staple - Heavy Duty - Zinc Plated



Code	Size
G58	183 x 48

LATCHES

Gravity Latch



Code	Fence Post (SQ)	Ctn
DPG100	35-125*	10 ea



Code	Fence Post (SQ)	Ctn
DPG200	40-125*	5 ea



Code	Fence Post (SQ)	Ctn
DPG300	50-125*	5 ea

*Keyed alike

Manta Dual Side Magnetic Latch




Code	Gate Frame	Ctn
Manta	50-80	3 ea



LATCHES

Bolt-On 'D' Latches & Strikers - Flat



Zinc Plated

Code		Ctn
CAC28	Latch	50
BTS28	Striker	50
BTS29	Striker (offset)	50

Galvanised

Code		Ctn
CAC28G	Latch	50
BTS28G	Striker	50


Stainless Steel

Code		Ctn
DLKSS	Latch & striker	50

Pack Set - Latch, striker and handle


Code	Finish	Ctn
DLKPP	Zinc	30
DLKSSPP	Stainless steel	30
DLKPP-C	Black	30

'D' Latch & Strikers - Round Post - Bolt on - Zinc Plated




Code	Description	Ctn
CAC29	Latch	50
BTS28R	Striker	50

'D' Latch & Strikers - Round Post - Weld on - Zinc Plated



Code		Ctn
CAC26	Latch	100
CAC26WS	Striker-RND	100
CAC27WS	Striker-SQR	50

'D' Latch Handles




Zinc Plated

Code	Length	Ctn
TB28-170	170	50
TB28-230	230	50

Stainless Steel

Code	Length	Ctn
TB28-170SS	170	50


Striker Anti Rattle Sleeve - Black Vinyl



Code	Suits	Ctn
SARS	All Strikers	50

LATCHES


Two Way Catches- Zinc Plated




Code	Suits	Ctn
CAC5	20NB	20
CAC6	25 / 32 NB	20

- Catch can be made 'one way' by moving the locking fixture to one end

Drop Bolt + Slide Plates - Locking




Code	Bolt Length	Ctn
B13L	300	30
B15L	400	20
B15LG	400	20
B17L	500	20



Code	Bolt Length	Ctn
B12	310	30
B14	410	30


Gate Pad Bolts



Zinc Plated

Code	Bolt length
G17G	100
G18D	150
GPBL10	210

Bolt-On 'D' Latch - Stainless Steel



Code	Description
GRAMLS	Latch & Striker
RGRAMHAN	Handle

- Handle is universal - can be used for right or left side





SAFETY GATE

LATCHES

Top Pull



Code	Type	Ctn
DPL1000	Lockable	10
DPL600	Short Latch with Lock	10
DPL1000NK	No Lock	10
DPLRPA	Round Post fixing kit	20

VALUE PACK

Code	Ctn
DPK1100 (DPL1000 + DPH110)	5 ea
DPK1200 (DPL1000 + DPH120)	5 ea
DPK2000 (DPL1000 + DPH200)	5 ea
DPK2100 (DPL1000 + DPH210)	5 ea

Side Pull Latch



Code	Ctn
DPL900	ea


Handle



Code	Ctn
DPH300	50

HINGES

Gates up to 20kg



Code	Ctn
DPH100	20

Self Closing

Code	Ctn
DPH110	20

Self Closing, Adjustable Tension

Code	Ctn
DPH120	20



HINGES

Self-Closing Hinges - Gates up to 45kg



Adjustable Tension

Code	Ctn
DPH200	20
DPHGGK	Glass kit, incl. back plate and fasteners for DPH200



Adjustable Tension, with alignment legs

Code	Ctn
DPH210	20



Adjustable Tension, Wide Leaf

Code	Ctn
DPH220	5



Adjustable Tension, Adjustable Wide Leaf

Code	Ctn
DPH230	5



Adjustable Tension, Adjustable Round Post Legs

Code	Ctn
DPH240	5

Suits 25nb to 65nb posts



Safety Cap for Medium Duty Hinge

Code	Ctn
DPH250	10

TUBULAR FENCING

TUBULAR

Rail Brackets - Cast Aluminium

FB25H	Horizontal - Single Lug - 1 Fixing Hole		
	Code	Rail	Ctn
	FB25H	25x25	180
	FB30H	30x30	150



FB38H	Horizontal - Single Lug - 2 Fixing Holes		
	Code	Rail	Ctn
FB38H	38x25	120	



FB40P	Plain - Single Lug - 2 Fixing Holes		
	Code	Rail	Ctn
	FB38P	38x25	90
	FB40P	40x40	80



FB38MD	Multi-direction - Single Lug - 2 Fixing Holes		
	Code	Rail	Ctn
FB38MD	38x25	100	



* 15° Vertical 6° Horizontal

FB40X8P	Plain - Single Lug - 1 Fixing Hole		
	Code	Rail	Ctn
	FB40X8P	40x8	200



FB38V	Vertical - Single Lug		
	Code	Holes	Rail
	FB25V	1	25x25
	FB30V	1	30x30
	FB32V	1	32x32



FB25HDL	Horizontal - Double Lug - 2 Fixing Holes		
	Code	Rail	Ctn
	FB25HDL	25x25	150



FB38HDL	Horizontal - Offset Lug - 3 Fixing Holes		
	Code	Rail	Ctn
FB38HDL	38x25	120	



FB2538PDL	Plain - Double Lug - 2 Fixing Holes		
	Code	Rail	Ctn
FB2538PDL	25x38	90	



TUBULAR

Rail Brackets - Cast Aluminium

FB40PDL	Plain - Double Lug - 4 Fixing Holes		
	Code	Rail	Ctn
FB40PDL	40x40	60	




FB50PDL	Plain - Double Lug - 4 Holes + Security Fixing Hole		
	Code	Rail	Ctn
FB50PDL	50x50	25	



FB31.8R	Round		
	Code	Rail	Ctn
FB31.8R	ø31.8mm	120	



Rail Brackets - Single Lug - Steel - Zinc Plated




Code	Rail	Holes	Ctn
RFB2525-2Z	25x25	2	100
RFB3030-2Z	30x30	2	100
RFB3825-2Z	38x25	2	100

Rail Brackets - Double Lug - Steel - Zinc Plated



Code	Rail	Holes	Ctn
DFB2525-2Z	25x25	2	100
DFB3030-2Z	30x30	2	100
DFB3030-2DZ	30x30	2 Diag	100
DFB3825-2Z	38x25	2	100
DFB3825-2DZ	38x25	2 Diag	100
DFB4040-2Z	40x40	2	100
DFB4040-2DZ	40x40	2 Diag	100
DFB4040-4Z	40x40	4	100

Adjustable Rail Bracket & Adaptor



Adjustable Rail Bracket - 2 Fixing Holes

Code	Rail	Ctn
RBA2525	25x25x1.2-1.6	50

Adaptors - Click Fit to Rail Bracket

Code	Rail	Ctn
AD3030	30x30x1.2-1.6	100
AD3825	38x25x1.2-1.6	100
AD4040	40x40x1.2-1.6	100



- For 30x30, 38x25 & 40x40 rails an appropriate adaptor attached to rail bracket is required.
- Australian Design Registered

TUBULAR

Security Rail Brackets - Galvanised



Code	Tube	Ctn
SRB620-92SV	30x30	50
SRB620-92	40x40	50
SRBA628-92*	40x40	50

- *Adjustable.
- *attach to post and rail by pop rivetting.

Cover Sleeve - To Suit SRB620-92


Code	Ctn
CUSMS	200

Rail Tube End Brackets - Galvanised




Code	Suits	Ctn
TEB3825	38x25x1.6	100

Rail Angle Brackets




Code	Material	Size
RAB2030A	ALU	20x30x20
RAB3030	GAL	30x30x20
RAB30X30A	ALU	30x30x20
RAB35X35	GAL	36x36x20
RAB3050	GAL	30x50x20
G14	GAL	114x50x30

Fence Panel 'U' Clips



Code	Finish	Ctn
UC8/10	Galvabond	500
UC8/10G	Galvanised	500
UC19G	Galvanised	500




'U' Clip/Panel Fixing Kit

Code	Ctn
FITS/TEK20PP	20

- Contains 20 of UC8/10G and 20 14x10x25 self drilling screws.

Timber Rail Holder Bracket - Galvanised



Code	Suits	Ctn
RHB7553P	75x53 Timber	50


Timber Rail Joiner Bracket - Galvabond



Code	Dimensions	Ctn
J7154	120x7x54	50


TUBULAR

Rail Plated - Galvanised




Code	Dimensions	Ctn
G86	153x40x5	50

Rail Saddles - Galvabond




Code	Suits	Ctn
RS3825	38x25	100
RS4040	40x40	100

Rail Joiners - Galvabond




Code	Suits	Ctn
RJ3825	38x25x1.6	50

Post Brackets - 50x50x1.6 Tube - Galvanised




Code	Type	Ctn
PB130-C	4 hole, centered	4
PB130-O	4 hole, offset	4



Code	Type	Ctn
PB13050	2 hole	12

Shark Fin - Galvanised



Code	Base	Ctn
SF1	150x100	5

Flange Plate - Weld on



Code	Dimensions	Ctn
F130S50	130x130x5	20


Galvanised

Code	Size	Holes	Ctn
F100SP	100x100x5	4	40
F130SP	130x130x5	4	20
RFP11350-2	113x50x5	2	20
RFP15075-2	150x75x5	2	30
RFP20095-2	200x95x8	2	10
RFP13090-4	130x90x5	4	20
RFP150100-4	150x100x5	4	20

Zinc Plated


Code	Size	Holes	Ctn
RFP13080-2	130x80x5	2	30
RFP130100-4	130x100x5	4	20
RFP130130-4	130x130x10	4	10

Square Post Extensions



Code	Suits	Length	Ctn
PEXT50	50x50mm	350mm	10

Base Cover



Code	Ctn
PLASTICBLA	30

- Comes ready to fit 38x25 posts. Snap out panels allow fittings to suit 40x25, 40x40, and 50x50 posts.
- Suits RFP11350-2 Flange Plate.

SPEARS - Aluminium

Lilium - Female



Code	To Fit	Size	Ctn
SPU33	ø19	150x65	60

Clover - Female



Code	To Fit	Size	Ctn
SPG19	ø15.9	100x47	200
SPG1	ø16	100x47	200
SPG15	ø19	100x47	200

Fleur De Lis - Female



Code	To Fit	Size	Ctn
SPJN19	ø15.9	100x49	125
SPJN1	ø16	100x68	125
SPJN15	ø19	100x49	125

Fleur De Lis - Female



Code	To Fit	Size	Ctn
SPJ2	ø12	100x68	125
SPJ19	ø15.9	100x68	125
SPJ1	ø16	100x68	125
SPJ15	ø19	100x68	125

Fleur De Lis - Male



Code	To Fit	Size	Ctn
SPJ13	ø15.9x1.2 ø16x1.2	100x68	125
SPJ7	ø19x1.2	100x68	125
SPJ17	19SQx1.2 20SQx1.6	100x68	125

SPEARS - Aluminium

Cardinal - Female



Code	To Fit	Size	Ctn
SPQ19	ø15.9	110x30	100
SPQ1	ø16	110x30	100
SPQ15	ø19	110x30	100
SPQ21	19SQ	110x30	100

Cardinal - Male



Code	To Fit	Size	Ctn
SPQ7	ø19	110x30	100

Acorn - Female



Code	To Fit	Size	Ctn
SPL19	ø15.9	55x32	250
SPL1	ø16	55x32	250
SPL15	ø19	55x32	250

Bishop - Female



Code	To Fit	Size	Ctn
SPM83	ø19	170x98	40

Aston - Male



Code	To Fit	Size	Ctn
SPS13	ø15.9x1.2 ø16x1.2	89x45	150
SPS7	ø19x1.2	89x45	150
SPS17	19SQx1.2 20SQx1.6	89x45	150
SPS40	25.4SQx1.2	89x45	150
SPS43	25.4SQx1.6	89x45	150

SPEARS - Aluminium

Melrose - Female



Code	To Fit	Size	Ctn
SPT31	ø15.9	150x30	80
SPT9	ø16	150x30	80
SPT33	ø19	150x30	80
SPT8	ø20	150x30	80

Melrose 8 sided - Male



Code	To Fit	Size	Ctn
SPT1	ø16	100x28	150
SPT2	ø19	100x28	150

Melrose - Male



Code	To Fit	Size	Ctn
SPT13	ø15.9x1.2 ø16x1.2	110x28	220
SPT7	ø19x1.2	110x28	200
SPT17	195Qx1.2 205Qx1.6	110x28	200
Code	To Fit	Size	Ctn
SPT36	ø15.9x1.2 ø16x1.2	150x38	80
SPT38	ø19x1.2	150x38	80
SPT37	195Qx1.2	150x38	80
SPT41	ø25.4x1.2	150x38	80
SPT42	25.45Qx1.6	150x38	80
SPT43	25.45Qx1.2	150x38	80

Camden - Female



Code	To Fit	Size	Ctn
SPC19	ø15.9	100x42	200
SPC1	ø16	100x42	200
SPC15	ø19	100x42	200
Code	To Fit	Size	Ctn
SPC31	ø15.9	150x62	60
SPC9	ø16	150x62	60

Camden - Female



Code	To Fit	Size	Ctn
SPW9	ø16	150x62	60
SPW33	ø19	150x62	60

PICKET TOPS - Aluminium

Windsor



Code	Size	To Fit	Ctn
PITWIN	100x55	75x16x0.9	60

Kenilworth



Code	Type	Size	To Fit	Ctn
PITFLAT	Low Profile	50x5	50x10x0.9	400



Code	Type	Size	To Fit	Ctn
PITKENISR	Round	50xR25	50x10x0.9	350

Stonnington



Code	Type	Size	To Fit	Ctn
Stonnington Small				
PITSTONSP	Plain	115x50	50x10x0.9	150
PITSTONSF	Fancy	115x50	50x10x0.9	150



Stonnington Large - For use with Aluminium tube				
PITSTONLP	Plain	140x65	65x16x1.2	60
PITSTONLF	Fancy	140x65	65x16x1.2	60



POST CAPS - Aluminium

Ball - Square Tube



Square tube female



Square tube male

Code	To Fit	Size
Square Tube - Female		
PT50F	50SQ	95Hxø50
Square Tube - Male		
PT50M	50SQx1.6	105Hxø53
PT65M	65SQx1.6-2.5	115Hxø65
PT75M	75SQx2.3-4.0	125Hxø75
PT100M	100SQx2.5-4.0	165Hxø100

Ball - Round Pipe



Code	To Fit	Size
PT40NB	40NB	105xø60
PT50NB	50NB	115Hxø65
PT100NB	100NB	194Hxø105

Victorian Post Cap



Code	To Fit	Size
PTVPC100	100SQ	230 High
PTVPC100-S	100SQ	230 High
PTVPC125	125SQ	290 High
PTVICSP*		

* Victorian Spear Kit: spear 150 high + Stud + Nut (cap not included). Cap with min. 44ø area

Post Supports & Post Bases



Postmaster Verandah Post Supports

Code	Description	To Fit
PMA90M	172x172x75	90SQ
PMA100M	172x172x75	100SQ



Code	Size	Ctn
FCA4040	40x40	200
FCA5050	50x50	200



Concealed Fixing



4-hole Fixing

Post Bases - Cast Aluminium

Code	Description	To Fit
PBA100SH	Concealed fixing	50sqx1.6
PBA100FH	4 hole external fixing	50sqx1.6

* Registered Design. Tested & Complies to AS1926.1

ACCESSORIES - Aluminium

Clip Ons



Code	Size	Ctn
CO-SANTA_ANA	390x170mm	230 High

Fence Panel Rings - Aluminium with Mill Finish



Code	Size	Ctn
FPRA78-8	78x8	100
FPRA90-8	90x8	100

Fence Panel Rings - Steel with Zinc Coating




Code	Size	Ctn
FPRZ78-8	78x8	100
FPRZ82-8	82x8	100
FPRZ90-8	90x8	100

Decorators



2 part interlocking - Steel

Code	Size	Ctn
DFCZ	120x120	100



LATTICE - Aluminium

Corner & Frieze



Westminster

Code	Type	Size
CORWESM	Corner	400x400
FRIWESM	Frieze	800x75



Dorrington

Code	Type	Size
CORDORM	Corner	400x450
FRIDORM	Frieze	800x135

Droppers - Small - to suit Westminster & Dorrington Frieze



Suits Westminster & Dorrington

Code	Size
FDRSM	220x50

Brackets



Jasmine

Code	Size
BRAJASM	440x440

Newels - Double sided - Mill finish



Heritage

Code	Size with lugs
NEWHERM	910x200



Kirby

Code	Size with lugs
NEWKIRM	850x180



Huntley

Code	Size with lugs
NEWHUNM	882x210



Glamis

Code	Size with lugs
NEWGLAM	810x215



Sunflower



Code	Size with lugs
NEWSUNM	814x195

LATTICE - Aluminium

Panels - Double sided - Mill finish

Boxley

Code	Size with lugs
PANBOXM	810x450



Contemporary

Code	Size with lugs
PANCONM	920x842x16.5

Croxden

Code	Size with lugs
PANCROM	695x375



Hendon

Code	Size with lugs
PANHENM	720x410

Reading

Code	Size with lugs
PANREAM	825x345





Heritage

Code	Size with lugs
PANHERM	940x500


CHAIN WIRE

CHAIN WIRE HARDWARE



UNIVERSAL FENCE FITTINGS

Universal Rail Clamps - Galvanised



Code	Butt (NB)	Ctn
UFFB25	25	40
UFFB32	32	30
UFFB40	40	30
UFFB50	50	20

- Bolts and nuts included


Universal Connector - Galvanised



Code	Ctn
UFFMPC	100

- Multi-purpose connector suitable with all post and rail clamps.
- Use for multi-staying of posts, corner struts, raked fences and all add-on fencing situations.


Universal Post Clamps - Galvanised



Code	Thru (NB)	Ctn
UFFT25	25	50
UFFT32	32	40
UFFT40	40	40
UFFT50	50	40
UFFT65	65	30
UFFT80	80	20
UFFT100	100	20
UFFT150	150	10

- Bolts and nuts included

Wall Bracket Assembly- Galvanised




Code	Ctn
UFFWB	50

- Used with UFFB and UFFT (all combinations) for spacing and securing post from wall. Allows easy access for wire lacing and close fitment of post to wall
- Comprises: 1 x G20A - 1 Adjustable Bracket
4 x M10 Gal Washer
1 x M10x40 Bolt

CHAIN WIRE

Fixed Corners - Galvanised



Code	Butt/Thru (NB)	Ctn
C2020	20/20	40
C2525	25/25	30
C2532	25/32	20
C2540	25/40	20
C2550	25/50	20
C3232	32/32	20
C3240	32/40	10
C3250	32/50	10
C4040	40/40	10
C4050	40/50	10
C5050	50/50	5

- Bolts and nuts included

Fixed T's - Galvanised



Code	Thru/Butt (NB)	Ctn
T1515	15/15	150
T2020	20/20	100
T2025	20/25	80
T2525	25/25	50
T2532	25/32	40
T2540	25/40	30
T3225	32/25	40
T3232	32/32	40
T3240	32/40	20
T3250	32/50	20
T4025	40/25	40
T4032	40/32	30
T4040	40/40	20
T4050	40/50	10
T5025	50/25	30
T5032	50/32	30
T5040	50/40	20
T5050	50/50	10
T6550	65/50	10
T8025	80/25	10
T8032	80/32	10
T8040	80/40	10
T8050	80/50	10

- Bolts and nuts included

CHAIN WIRE


Fixed Crosses - Galvanised



Code	Butt/Thru (NB)	Ctn
X2020	20/20	50
X2525	25/25	30
X2532	25/32	20
X2540	25/40	30
X2550	25/50	20
X3232	32/32	20
X3240	32/40	20
X3250	32/50	10
X4040	40/40	20
X4050	40/50	10
X5050	50/50	10
X5065	50/65	10



- Bolts and nuts included

Speedee Sleeve - External Pipe Joiners - Galvanised



Code	Pipe (NB)	Length	Ctn
SS25	25	150	30
SS32	32	200	25
SS40	40	200	20
SS50	50	200	10


Spigots for Chain Mesh Cages - Galvanised



Code	Ctn
T2532-SPIGOT	20
T3225-SPIGOT	20
T3240-SPIGOT	20
T4032-SPIGOT	20

Code	Ctn
X2532-SPIGOT	20
X3240-SPIGOT	20

- Bolts and nuts included



ADJUSTABLE CORNERS

Code	Butt/Thru (NB)	Ctn
AC2525	25/25	20
AC2532	25/32	20
AC2550	25/50	20
AC3232	32/32	15
AC3240	32/40	15
AC3250	32/50	15
AC4040	40/40	15
AC4050	40/50	15
AC5050	50/50	10

CHAIN WIRE

Oval Flanges - Galvanised



Code	Pipe (NB)	Ctn
F20	20	100
F25	25	100
F32	32	50
F40	40	30
F50	50	30

Round Flanges - Galvanised




Code	Pipe (NB)	Ctn
F32R	32	20
F40R	40	20
F50R	50	20

Heavy Duty Square Flanges - Galvanised



Code	Pipe (NB)	Ctn
F32H	32	30
F40H	40	30
F50H	50	20

Long Plate Gudgeon - Galvanised



Code	Pipe (NB)	Ctn
LPG27	25	
• 27mm Pin		

Heavy Duty Short Plate Gudgeon -50mm Steel Pin-Galvanised



Code	Pipe (NB)	Ctn
G24	20	50
G22	25	50
G23	32	30

Round Post Fittings



Code	Pipe (NB)	Ctn
G22R	25	50
S3R	25	30

Hinges - Galvanised



Clamp-On

Clamp-On

Code	Post/Gate (NB)	Ctn
H2020	20/20	30
H2525	25/25	20
H3220	32/20	20
H3225	32/25	20
H4020	40/20	20
H5020	50/20	20


CHAIN WIRE

Hinges - Galvanised



Two Part Hinge + Attachment

Code	Post/Gate (NB)	Ctn
H4025	40/25	20
H4032	40/32	20
H5032	50/32	20



Two Part Interlocking Hinge + Attachment

Code	Post/Gate (NB)	Ctn
H5025D	50/25	20
H8025D	80/25	10
H8032D	80/32	10




Strap Type Hinge + Attachment

Code	Post/Gate (NB)	Ctn
H8040	80/40	10
H10025	100/25	10
H10032	100/32	10
H10040	100/40	10



Two Part Interlocking Hinge + Attachment

Code	Post/Gate (NB)	Ctn
TH3225	32/25	30
TH4025	40/25	30



Two Part Interlocking Hinge + Attachment


Code	Post/Gate (NB)	Ctn
TH5025	50/25	20
TH8025	80/25	10
TH10025	100/25	10
TH10032	100/32	10



Gudgeon Attachment for Two Part Hinge

Code	Post/Gate (NB)	Ctn
HAP25	25	20
HAP32	32	10


Pipe Hinge Straps - Loose Fit - Galvanised



Code	Pipe/Width (NB)	Ctn
S1	20/25	100
S2	25/25	50
S3	25/40	30
S4	32/40	30
S5*	40/40	30
S6*	50/40	30

• *Backing strap and plate not available

Pipe Straps - Tight Fit - Galvanised




Code	Pipe/Width (NB)	Ctn
S1T	20/25	100
S2T	25/25	70
S3T	25/40	30
S4T	32/40	30
S5T	40/40	30
S6T	50/40	30

PIPE DIMENSIONS

NOMINAL BORE		OUTER DIAMETER	
Metric	Imperial	Metric	Imperial
15NB	1/2" NB	21.3 mm	27/32"
20NB	3/4" NB	26.9 mm	1 1/16"
25NB	1" NB	33.7 mm	1 1/32"
32NB	1 1/4" NB	42.4 mm	1 1/16"
40NB	1 1/2" NB	48.3 mm	29/32"
50NB	2" NB	60.3 mm	2 3/8"

NOMINAL BORE		OUTER DIAMETER	
Metric	Imperial	Metric	Imperial
65NB	2 1/2" NB	73.0 mm 76.1 mm	2 7/8" 3"
80NB	3" NB	88.9 mm	3 1/2"
90NB	3 1/2" NB	101.6 mm	4"
100NB	4" NB	114.3 mm	4 1/2"
125NB	5" NB	127.0 mm 139.7 mm 141.3 mm	5" 5 1/2" 5 18/32"
150NB	6" NB	165.1 mm 168.3 mm	6 1/2" 6 5/8"


Backing Plate - Galvanised



Code	Suits	Ctn
BP1	S1	100
BP2	S2	100
BP3	S3	100
BP4	S4	30

- Use with Pipe Hinge Straps


Hinge Strap Attachment - Galvanised



Code	Suit	Ctn
A1	S1	200
A2	S2	200
A3	S3	100
A4	S4	100

- Use with Pipe Hinge Straps


Flag Pin Drop Bolt - Galvanised



Code	Size	Ctn
FPDB900	900xø16	5
FPDB1050	1050xø16	5
FPDB1200	1200xø16	5
FPDB1500	1500xø16	5

- Lugs sold separately


Drop Bolt - Galvanised



Code	Size	Ctn
GDB260	260xø16	20
GDB370	370xø16	20
GDB430	430xø20	10
GDB600	600xø16	10
GDB850	850xø16	10

- Lugs sold separately


Security Drop Bolts - Galvanised



Code	Size	Ctn
FPDS900	900xø16	5
FPDS1200	1200xø16	5


- Lugs sold separately

Temporary Fence Clamp - Galvanised



Code	Pipe (NB)	Ctn
TFCN2525	25/25	50
TFCN3232	32/32	20
TFCN4040	40/40	20
TFCN5050	50/50	20

Temporary Fence Clamp Hinge - Galvanised



Code	Pipe (NB)	Minimum
THC4040	40/40	10
THC5050	50/50	10


Drop Bolt Lug - Galvanised



Code	Size	Ctn
L2	ø16	200prs
L3	ø20	150prs

- 1 x Plain + 1 x Slotted

Gate Entry Brace & Shoot Bolt - Galvanised



Corner Bar

Code	Length	Ctn
GEB12	190x110xø12	30
GEB11	125x110xø12	30

Shoot Bolt - Galvanised

Code	Length	Ctn
B8	150mm	30
B9	270mm	20

Workshop Tips

**We do pre-packed parts.
Just ask us!**

**Simplify your stock control and
product displays - AWESOME!**



CAPS

CAPS

Square Tube Caps - Domed



Galvabond

Code	Tube	Ctn
K25MSGB	25x25	300
K35MSGB	35x35	150
K40MSGB	40x40	150
K50MSGB	50x50	100
K60MSGB	60x60	50
K65MSGB	65x65	50
K75MSGB	75x75	60
K90MSGB	90x90	20
K100MSGB	100x100	30
K150MSGB	150x150	20

Cast Aluminium

Code	Tube	Ctn
PC5	50x50	100
PC6	65x65	100

Round Post Caps - Galvanised - Galvabond

Galvanised



Code	Pipe (NB)	Ctn
K20	20	200
K25	25	150
K32	32	100
K40	40	80
K50	50	50
K65	65	30
K80	80	20
K90	90	20
K100	100	20

Galvabond

Code	Pipe (NB)	Ctn
K20GB	20	300
K25GB	25	150
K32GB	32	100
K40GB	40	80
K50GB	50	50
K65GB	65	30
K80GB	80	40
K90GB	90	20
K100GB	100	20
K125GB	125	20
K150GB	150	10

Square Tube Caps - Flat - Galvabond



Code	Tube	Ctn
K90MSGBF	90x90	20
K100MSGBF	100x100	30

Square Tube Plastic Caps - Domed - Polypropylene



Code	Tube	Ctn
PC5050BL	50x50x2.0-2.5	100
PC6565BL	65x65x2.0-2.5	40

Dome Plugs - Plastic



Code	Hole	Ctn
DPB12	ø12mm	100
DPB16	ø16mm	100
DPB19	ø19mm	100
DPB22	ø22mm	100
DPB25	ø25mm	100

CAPS

Square Tube Plastic Caps - Flat - Polypropylene



Standard Caps

Code	Pipe	Thickness	Ctn Qty
PC1212BL	12x12	1.6	1000
PC1919BL	19x19	1.2-1.6	500
PC2020BL	20x20	1.2-2.0	1000
PC2525BL	25x25	1.2-1.6	500
PC3030BL	30x30	1.2-1.6	300
PC3535BL	35x35	1.6	200
PC3825BL	38x25	1.2-1.6	200
PC4040BL	40x40	1.6	200
PC5025BL	50x25	1.2-1.6	200
PC5050FLAT	50x50	1.6-2.0	100
PC5735BL	57x35	1.6	100
PC6438BL	64x38	1.6-2.0	50
PC6535BL	65x35	2.0	100
PC7550F	75x50	1.6-2.0	150
PC10050F	100x50	1.6-2.0	100
PC15050F	150x50	1.6-2.0	80

Premium Caps

Code	Pipe	Thickness	Ctn Qty
IPC2525	25x25	1.0-3.0	100
IPC4040	40x40	2.0-4.0	50
IPC4040-1	40x40	1.0-3.0	50
IPC5025	50x25	1.25-3.0	50
IPC5050	50x50	1.6-3.0	150
IPC5050-5	50x50	3.0-5.0	150
IPC6060	60x60	1.6-3.5	20
IPC6565	65x65	1.6-4.0	20
IPC7525	75x25	1.0-3.0	50
IPC7550	75x50	2.5-4.5	20
IPC7575	75x75	2.0-4.5	20
IPC7638	76.2x38.1	1.2-3.5	20
IPC8040	80x40	1.0-3.0	20
IPC9090	90x90	3.0-5.0	20
IPC10050	100x50	2.0-4.0	20
IPC100100	100x100	1.6-4.0	20
IPC125125	125x125	3.0-6.0	10
IPC150150	150x150	3.0-6.0	10

Round Tube - Plastic Caps - Polypropylene

Standard Caps

Code	OD Tube	Ctn Qty
PC16BL	ø16x1.2-1.6	1000
PC19BL	ø19x1.2-1.6	1000
PC22BL	ø22x1.2-1.6	1000
PC25BL	ø25x1.2-1.6	500
PC28BL	ø28x1.2-1.6	500
PC32BL	ø32x1.2-1.6	500
PC50BL	ø50x1.2-1.6	200

Premium Caps

Code	NB Pipe	Ctn Qty
IPC25NB	25NB	100
IPC32NB	32NB	50
IPC40NB	40NB	50
IPC50NB	50NB	50
IPC50OD	50OD	50
IPC60NB	60NB	50
IPC65NB	65NB	20
IPC90NB	90NB	20



FIRE UP YOUR AUTOMATION SKILLS



SLIDING

CANTILEVER

SWING

*Tips, tricks & short cuts for
Mhouse Installs & Programming*

ONE HOUR

Workshops

GET IN, GET OUT, GET ON WITH IT!

mhouse

*Get a free accessory when
attending Mhouse workshops*


BOOKINGS

**FIREUP@DOWNEE.COM.AU
OR CALL US FOR DETAILS**

**FREE
WORKSHOPS
IN ALL STATES**

TIMBER POST FITTINGS

Timber Post Gudgeon - Screw In - Galvanised



Code	Gate	Ctn
G1B	20NB	50
G3LP	25NB	20

Timber Post - Bolt Thru - Galvanised



Code	Gate	Post	Ctn
G7B	25NB	300	10
G8B	25NB	400	10
KQ2	32NB	300	10
KQ1	32NB	400	10




Code	Gate	Post	Ctn
G7AT	25NB	300	10



Code	Gate	Post	Ctn
G7LT	25NB	300	10

Deluxe Hinge - Suitable for automatic gates



Code	Gate	Post	Ctn
S8-AT	25NB	200	ea
G7-BBAT	25NB	275	ea

Anti-twist

Timber Post Strap - Bolt Thru - Galvanised



Code	Gate	Post	Ctn
S7C	25NB	300	10
S8C	25NB	400	10




Code	Gate	Post	Ctn
KQS25	32NB	300	10
KQS15	32NB	400	10



Code	Gate	Post	Ctn
S7B	25NB	300	20
S8B	25NB	400	20

Heavy Duty Short Plate Bolt Gudgeon-50mm Steel Pin-Galvanised



Code	Pipe (NB)	Ctn
G24	20	50
G22	25	50
G23	32	50

TIMBER POST FITTINGS

Light Duty Short Plate Bolt Gudgeon - Plastic Bush - Galvanised



Code	Pipe (NB)	Ctn
G40	20	50
G41	25	50
G43	32	50

Pipe Hinge Straps - Galvanised



Code	Pipe/Width (NB)	Ctn
S1	20/25	100
S2	25/25	50
S3	25/40	30
S4	32/40	30



Code	Suit	Ctn
A1	S1	200
A2	S2	100
A3	S3	100
A4	S4	100



Code	Suits	Ctn
BP1	S1	200
BP2	S2	100
BP3	S3	100
BP4	S4	100

Angle Post Gudgeon and Strap - Galvanised




Code	Gate	Ctn
APS25	25NB	40
APG25	25NB	20



Round Post Gudgeon and Strap - Galvanised



Code	Pipe (NB)	Ctn
S3R	25	30
G22R	25	30



Timber Post Gudgeon - Galvanised



Code	Pipe (NB)	Ctn
TPG25	25	40

Timber Post Gudgeon - Galvanised



Code	Pipe (NB)	Ctn
LPG27	25 (Steel Pin)	40
G12	20 (Bush)	50
G13	25 (Bush)	50

WELD ON FITTINGS

Weld on Socket - Zinc Plated



Socket



Pin

Code	Type	Pin	Ctn
WOS12	Socket	12	100
WOP12	Pin	12	100
WOP12A	Assembly	12	100
WOS16	Socket	16	50
WOP16	Pin	16	50
WOP16A	Assembly	16	30
WOS20	Socket	20	30
WOP20	Pin	20	30
WOP20A	Assembly	20	20
WOP20LA	Assembly	20	20
WOS20L	Socket	20	30
WOP20L	Pin	20	30
WOS27	Socket	27	10
WOP27	Pin	27	10
WOP27A	Assembly	27	10

Strap Gudgeon Hinge - Galvanised



Code	Post size	Ctn
SGH080	80NB	10
SGH100	100NB	10
SGH150	150NB	5

• Use with WOS20 (sold separately)

Weld-On Strap and Gudgeon - Zinc Plated



Code	Suit	Ctn
RGWS25	25NB	50
RGWS25G	25NB	50

Weld-On Ring Catch



RWOK

Code
RWOK
CAC4-2



CHAIN CATCH - CAC4-2

Weld-On Hook Catch



RWOL

Code
RWOL
FGF1




CHAIN CATCH - FGF1

Weld-On Chain Plate - Zinc Plated



Code	Suits	Ctn
SCP5MM	5-6mm chain	60
SCP8MM	8mm chain	40

Double Gate Ring Catch - Galvanised



Code	Suit	Ctn
DGCL25	25NB	15
DGCL32	32NB	10

CATCHES AND LATCHES

Double Gate Hook Catch - Galvanised



Code	Suit	Ctn
KDGH25	25NB	10
KDGH32	32NB	10

Double Gate Catch - Zinc Plated



Code	Suit	Ctn
FDG25	25NB	20

Timber Post Gate Catch - Galvanised



Code	Size	Ctn
CAC1	ø12	30
CAC2	ø16	20

Steel Post Gate Catch



Code	Ctn
CAC4	20

Bow Latch - Galvanised



Code	Suits	Ctn
KDGB25	25NB	5



Code	Suits	Ctn
CAC22	25NB	15

Screw In and Weld-On Eyes - Zinc Plated



Code	Ctn
SE12	30



Code	Ctn
SE12W	30

Field Gate Fastener with chain - Galvanised



Code	Size
FGF1	350mm chain
FGF2	500mm chain




Code	Ctn
FGS	100



Code	Ctn
FGF15	350mm chain
20	

STOCKYARD COMPONENTS



Stock Yard Hinges - Galvanised



Code	Pipe	Width	Ctn
SYH4025	40x25 NM	40mm	10
SYH5025	50x25 NB	40mm	10
SYH5032	50x32 NB	40mm	10
CYH8032	80x32 NB	65mm	5

Stock Yard Clamps - Galvanised



Code	Pipe	Width	Ctn
TFC4040	40x40 NB	40mm	20
SYC5025	50x25 NB	40mm	20
SYC5032	50x32 NB	40mm	20
TFC5050	50x50 NB	40mm	20
CYC8050	80x50 NB	65mm	10

Slam Catch - Zinc Plated



Code	Pin Size	Ctn
SCJ-10	10 dia	30
SCJ-14	14 dia	10
SCJ-20	20 dia	10
SCJ-20L	20 dia extended pin	10

Code	Pin Size	Ctn
SCJ-25	25 dia	5

Slam Catch Striker Plate - Zinc Plated



Code	Suits	Ctn
SPZ-10	SCJ-10	100
SPZ-14	SCJ-14	50
SPZ-20	SCJ-20	20
SPZ-25	SCJ-25	20

Wire Strainer



Code	Description	Ctn
12106	Wire strainer	25

STOCKYARD COMPONENTS


Cattle Yard Cleat and Pin Set - Zinc Plated



Code	Ctn
CYCPP	20

- Includes:
 - CYPG
 - RAB40C
 - RAB40L

Cattle Yard Full Cleats - Zinc Plated



Code	Width	Ctn
RAB50C	50mm	38
RAB40C	40mm	38

Cattle Yard Half Cleats - Zinc Plated



Code	Width	Ctn
RAB50L	50mm	50
RAB40L	40mm	50

Cattle Yard Panel Feet - Zinc Plated



Code	Width	Ctn
RAB50F	50mm	40
RAB40F	40mm	60

Cattle Yard Round Full Cleats - Zinc Plated



Code	Suits	Ctn
RAB40RC	32,40,50 NB	38
RAB30RC	25, 32 NB	38

Cattle Yard Round Half Cleats - Zinc Plated



Code	Suits	Ctn
RAB40RL	32,40,50 NB	50
RAB30RL	25 NB	50


Cattle Yard Pin - Galvanised



Code	Size	Ctn
CYPG	16 dia 275x60mm	30


FARM GATE PACKS

Gate Pack - 25NB Bolt Thru - Timber Post



Code	Post	Pipe	Ctn
FGP753	300mm	25NB	5

Gate Pack - 25NB Bolt Thru - Timber Post




Code	Post	Pipe	Ctn
FGP303	300mm	25NB	5
FGP413	400mm	25NB	5

Clamp on Hinge Pack



Code	Post	Pipe	Ctn
FG6	100mm	25NB	5
FG6-80	80mm	25NB	5

Gate Pack - 25NB Screw In - Timber Post




Code	Pipe	Ctn
FGP225	25NB	10

Gate Pack - 25NB - Timber Post



Code	Post	Pipe	Ctn
FGP151	300mm	25NB	5

Gate Pack - 25NB - Timber Post




Code	Pipe	Ctn
FGP121	25NB	10

Gate Pack - 25NB Bolt Thru - Timber Post



Code	Post	Pipe	Ctn
FGP351	300mm	25NB	10
FGP431	400mm	25NB	10


Gate Pack - 25NB Bolt Through - Concrete Post



Code	Pipe	Ctn
FGP354	25NB	5


FARM GATE PACKS

Gate Pack - 25NB Bolt-on




Code	Pipe	Ctn
FGP523	25NB	10

Gate Pack - 25NB Weld-on




Code	Pipe	Ctn
FGP886	25NB	10

Gate Pack - 25NB Bolt-on/Weld-on - Timber and Steel Post




Code	Pipe	Ctn
FGP232	25NB	10

Gate Pack - 25NB Angle Post




Code	Pipe	Ctn
FGP664	25NB	10

Gate Pack - Anti Twist




Code	Post	Pipe	Ctn
FGP191	300mm	25NB	10
FGP195	300mm	32NB	5

Gate Pack - 25NB Bolt-on



Code	Pipe	Ctn
SP1B	25NB	5

Gate Pack - 25NB Screw in



Code	Pipe	Ctn
EG1B	25NB	5

SLIDING DOOR



FIRE DOOR CERTIFIED

120 SERIES

Doors to 120kg



Size: 34x30
Gauge: 1.0
Length: 6100



Steel Wheel:
DT120HS2
Nylon Wheel:
DT120HN2



Steel Wheel:
DT120HS4
Nylon Wheel:
DT120HN4



Overhead Weld-on
Bolt-on: DT120-2



Side Fix Bracket:
DT120-1



Offset Bracket:
DT120-1A



Overhead Double
Angle Bracket
Support: DT120-5A



Bolt, Nut &
Washer Set: DT120BS
M8X20 C/Sink



Trackstop with Buffer:
DT120-200TS



Size: 45x36
Gauge: 1.2
Length: 6100



Steel Wheel:
DT200HS2
Nylon Wheel:
DT200HN2



Steel Wheel:
DT200HS4
Nylon Wheel:
DT200HN4



Overhead Weld-on
Bolt-on: DT200-2



Side Fix Bracket:
DT200-1



Offset Bracket:
DT200-1B



Overhead Double
Bracket: DT200-6B
• 75mm gap between
tracks



Bolt, Nut &
Washer Set: DT200BS
5/16"x1 1/2" Cup



Trackstop with Buffer:
DT120-200TS



Size: 66x55
Gauge: 1.5
Length: 6100



Steel Wheel:
DT450HS2



Steel Wheel:
DT450HS4
Nylon Wheel:
DT450HN4



Overhead Weld-on
Bolt-on: DT450/2



Side Fix Bracket:
DT450/1



Angle Bracket
Support - Single:
DT450/SAB



Angle Bracket
Support - Double:
DT450/5A



Bolt, Nut &
Washer Set: DT450/BS
1/2"x1 1/2" Cup



Trackstop with Buffer:
DT450/TS



Size: 66x55
Gauge: 4.0
Length: 6000

N/A



Steel Wheel:
DT800HS4



Overhead Weld-on
Bolt-on: DT800/2S



Side Fix Bracket:
DT800/1S

N/A

N/A



Bolt, Nut &
Washer Set: DT450/BS
1/2"x1 1/2" Cup



Trackstop with Buffer:
DT450/TS



120 SERIES - DOORS TO 120KG

Code	Description	ctn
DT120-61	Track - Length: 6100	20
DT120HS2	Hanger, 2 Wheel, Steel	50
DT120HN2	Hanger, 2 Wheel, Nylon	50
DT120HS4	Hanger, 4 Wheel, Steel	30
DT120HN4	Hanger, 4 Wheel, Nylon	30
DT120-1	Side Fix Bracket	50
DT120-1A	Offset Bracket - 25mm	40
DT120-2	Overhead Bracket - Bolt On	50
DT120-5A	Angle Bracket - Double	30
DT120BS	Bolt, Nut & Washer Set	100
DT120-200TP	Top Plate Assembly	100
DT120-200TS	Track Stop with Buffer	100

200 SERIES - DOORS TO 200KG

Code	Description	ctn
DT200-61	Track - Length: 6100	20
DT200HS2	Hanger, 2 Wheel, Steel	50
DT200HN2	Hanger, 2 Wheel, Nylon	50
DT200HS4	Hanger, 4 Wheel, Steel	30
DT200HN4	Hanger, 4 Wheel, Nylon	30
DT200-1	Side Fix Bracket	30
DT200-1B	Offset Bracket - 35mm	30
DT200-2	Overhead Bracket - Std	50
DT200-6B	Double Overhead Bracket (tracks 75 mm apart)	30
DT200BS	Bolt, Nut & Washer Set	100
DT120-200TP	Top Plate Assembly	100
DT120-200TS	Track Stop with Buffer	100

450 SERIES - DOORS TO 450KG

Code	Description	ctn
DT450-61	Track - Length: 6100	20
DT450HS2	Hanger, 2 Wheel, Steel	20
DT450HS4	Hanger, 4 Wheel, Steel	10
DT450HN4	Hanger, 4 Wheel, Nylon	10
DT450/SAB	Single Angle Bracket	30
DT450/5A	Double Angle Bracket	20
DT450/1	Side Fix Bracket	20
DT450/2	Overhead Bracket - Bolt On	20
DT450/BS	Bolt, Nut & Washer Set	200
DT450/TS	Track Stop with Buffer	100

800 SERIES - DOORS TO 800KG - FIRE DOOR CERTIFIED

Code	Description	ctn
DT800-60	Track- Length: 6000 x 4mm	20
DT800HS4	Hanger, 4 Wheel Steel	10
DT800/1S	Side Fix Bracket	
DT800/2S	Overhead Bracket Bolt-on	

Workshop Tips

Downee sliding door track must be mounted using matching Downee brackets.

Otherwise you're looking for trouble.



BRACKET SPACING GUIDE

HARDWARE	DOOR WEIGHT						
120 Series	120 kg	100 kg	80 kg	70 kg	60 kg	50 kg	<50 kg
200 Series	200 kg	160 kg	130 kg	100 kg	85 kg	80 kg	<80 kg
450 Series	450 kg	400 kg	320 kg	260 kg	220 kg	170 kg	<170 kg
800 Series	800 kg	600 kg	420 kg	330 kg	260 kg	210 kg	<210 kg
BRACKET SPACING	600mm	700mm	800mm	900mm	1000mm	1100mm	1200mm

ASSORTED HARDWARE


MISC. HARDWARE

Pallet Feet - Square




Code	Size	Finish	ctn
PF1305G	132x132x43	Gal	20
PF1305B	132x132x43	Black	20

Angle Brackets - Zinc Plated




Code	Size	Holes
L100X75	100x75x19x4mm	ø7




Code	Size	Holes
F0228	40x40x40x3mm	ø6
F0229	50x50x40x3mm	ø6
F0230	75x75x40x3mm	ø6
F0232	50x50x40x5mm	ø6

Angle Bracket - Galvanised



Code	Size	Holes
FA100	106x65x52x3mm	ø13
FA150	145x50x50x3mm	ø13
FA200	195x65x65x3mm	ø13



Code	Size	Holes
F0212	40x40x40x5mm	ø10
F0213	50x50x50x5mm	ø10
F0201	50x50x50x5mm	ø12

Pergola Angle



Code	Size
PBA	88x63x36x1.6mm

Punched Holistrap/Builders Strap




Code	Description
HS30/30	30mm x 30m x 0.8mm
HS30/HD30	30mm x 30m x 1.0mm
HS30/HD50	30mm x 50m x 1.0mm




Code	Description
HT	Holistrap Tensioner

Steel Post Inner Brackets - Galvanised




Code	Size	Holes
FPS50	45x42x44.5x3mm	ø10
FPS65	60x45x60x3mm	ø10
FPS75	70x45x70x3mm	ø10
FPS90	85x80x85x3mm	ø10

Full Stirrup - Galvanised - 3mm Steel - 32mm dia Shaft



Code	Shaft	Stirrup Width
FS65/90	65mm	90mm
FS200/90	200mm	90mm
FS300/90	300mm	90mm

Stair Tread Bracket



Code	Finish
STAIRB	Black
STAIRG	Galvabond

FASTENERS

IRIUS Anti Tamper Metal Screw - Galvanised Class 4



Code	Gauge	Thread length	Ctn
SD6/8	5.5mm	13mm	250
SD14/12	5.5mm	12mm	250

Irius Drive Setting Tool




Code	Description
E420	Irius Drive Setting Tool

Threaded Rod - Galvanised



Code	Size	Bundle
CRM123H	ø12mmx3m	10

Hanger Bracket




Code	Description
HB3590	35x90
HB4590	45x90
HB5090	50x90
HB45120	45x120
HB45140	45x140
HB45180	45x180
HB45220	45x220
HB50120	50x120
HB50140	50x140
HB50180	50x180
HB50220	50x220

Heavy Duty Joist Strap



Code	Description
HDJL	31mm x 170mm (left)

Unibracket



Code	Size
UN100	100mm

Triple Fix



Code	Size
TGR	Pre Bent Right
TGL	Pre Bent Left

Pin Stirrup - Galvanised - 3mm Steel - 25mm dia shaft



Code	Shaft
PPS/125	125mm
PPS/200	200mm

Bolt on Post Support - Galvanised - 3mm thick stirrup & base



Code	Description
BOPS/90	90mm
GBPS/90	90mm

Half Stirrup - Galvanised - 3mm Steel - 25mm dia shaft



Code	Shaft	Stirrup Width
HSPS/65	65mm	90mm
HSPS/125	125mm	90mm
HSPS/200	200mm	90mm
HSPS/250	250mm	90mm
HSPS/300	300mm	90mm

FASTENERS & PAINTS

Screw Bolts




Code	Size	Ctn
SB650	6x50	100
SB875	8x75	50
SB1075	10x75	50
SB10100	10x100	50

Nail-In Anchor



Code	Size	Ctn
MPA6532	6.5x32	100
MPA6550	6.5x50	100

Hexagonal Head Metal Screws - Galvanised - Class 3



- * Available in standard colour-bond range.

Fine thread >

Code	Gauge-TPI x Length	Ctn
TEKM101616	10-16x16	1000
TEKM101616-C*	10-16x16	1000
TEKM121420	12-14x20	500
TEKM121420-C*	12-14x20	500
TEKM122420	12-24x20	500
TEKM141025	14-10x25	1000

Touch Up Paints

Code	Size	Ctn
TUP	150g	12

ALMOND IVORY GLOSS	PC21	DOVER WHITE	JN50	PEARL WHITE GLOSS	PC250
ALUMINIUM SATIN	JN30	EBONY SATIN	JN142	PERIWINKLE	PC15
ANDOLIC OFF WHITE	PC390	ELECTRIC ORANGE	PC25	PICTON GREEN SATIN	JN940
ANODIC BRONZE GLOSS	PC570	EVENING HAZE	JN156	POTTERY GLOSS	PC950
ANOTEC GREY	PC61	FEDERATION GREEN GLOSS	PC54	PRECIOUS SILVER PEARL	PC96
ANOTEC GREY SATIN	PC49	FEDERATION RED GLOSS	PC41	PRIMROSE GLOSS	PC850
ANOTEX OFF WHITE	PC71	FLAME RED GLOSS	PC180	RIVERGUM BEIGE GLOSS	PC590
APO GREY GLOSS	PC890	GREY NURSE	PC45	ROSEBERRY GREY	PC75
ARMOUR GREY	JN147	HAMMERSLEY BROWN SATIN	PC150	SAFETY YELLOW GLOSS	PC520
BARRISTER WHITE	PC204	HAWTHORN GREEN GLOSS	PC670	SANDBANK SATIN	JN135
BIEGE SATIN	JN300	HEADLAND SATIN	JN146	SHADOW GREY	JN700
BIRCH GREY	JN148	HEDGE SATIN	JN131	SHALE GREY	JN152
BLACK GLOSS	PC990	HERITAGE GREEN GLOSS	PC790	SHOJI WHITE GLOSS	PC98
BLACK MATT	PC32	HOMESTEAD SATIN	JN116	SIGNAL RED GLOSS	PC980
BLACK SATIN	JN100	HUNTER RED	JN220	SILVER GLO PEARL	PC133
BLAZE BLUE GLOSS	PC170	IRONBARK SATIN	JN117	SLATE GREY	JN153
BLUE RIDGE	PC170	IRONSTONE SATIN	JN134	SMOOTH CREAM	JN340
BOWRAL BROWN	JN90	JASPER SATIN	JN137	SPACE BLUE	PC480
BRIGHT SILVER	PC47	LEMON YELLOW	PC27	STONE BEIGE SATIN	PC470
BRONZE OLIVE SATIN	JN200	LIGHT GREY	PC36	STORM PEARL SATIN	PC99
BRUNSWICK GREEN GLOSS	PC33	LOFT	JN158	STROMBOLI GLOSS	PC490
BUSHLAND SATIN	JN132	MAGNOLIA GLOSS	PC450	SURF MIST	JN149
CABANA GREEN	PC86	MANOR RED	JN143	TERRACOTTA PALE	JN125
CAULFIELD	JN151	MEDIUM BRONZE	JN7	TORRES BLUE	JN122
CHARCOAL GLOSS	PC35	MERINO WHITE GLOSS	PC38	TRANSFORMER GREY	PC770
CHARCOAL SATIN	PC39	METALIC CHARCOAL GLOSS	PC24	ULTRA SILVER GLOSS	PC95
CITI	JN400	METROPOLIS BRONZE PEARL	PC540	WEATHERED COPPER	JN60
CITI PEARL GLOSS	PC111	MIST GREEN	JN141	WEDGEWOOD	PC23
CLARET GLOSS	PC290	MONUMENT	JN157	WHEAT SATIN	JN113
CLAYPOT SATIN	PC760	MOSSVALE SAND	JN140	WHITE BIRCH GLOSS	PC690
CLEAR	PC52	NAVY GLOSS	PC29	WHITE GLOSS	PC16
COTTA SAND	JN126	OYSTER	PC190	WHITE SATIN	PC83
DEEP OCEAN	JN139	PAPER BARK	JN138	WILDERNESS	JN144
DOE SKIN SATIN	PC350	PATINA	PC91	WIZARD	PC22
				X15 ORANGE GLOSS	PC110
				YELLOW GOLD	PC970

FASTENERS & PAINTS

Cup Head Bolts & Nuts - Galvanised



Code	Size	Ctn
M10x25-5	M10x25	50
M10x40-5	M10x40	50
M10x60-5	M10x60	50
M10x70-5	M10x70	50
M10x80-5	M10x80	50
M10x90-5	M10x90	50
M10NYLGAL	M10 NYLOC NUT	200

Specialty Paints

Code	Description	Ctn
CGS375	Cold Galvanised 375g	12
EEP300	Epoxy Etch Primer 300g	12
WCCSZ400	Zinc Gal Spray 2 in 1 400g Silver	24
WCCSZ400B	Zinc Gal Spray 2 in 1 400g Black	24

new



Zinc Gal Spray

CONTACT DETAILS

HEAD OFFICE VIC/TAS

70 William Angliss Drive
LAVERTON NORTH 3026

T: 03 9300 5160

Accounts: 03 9300 5177

Tech Support: 1800 241 733

F: 03 9311 2030

E: team@downee.com.au

Postal address:
PO Box 605, Sunshine VIC 3020

NSW/ACT

2 Ross Place,
WETHERILL PARK 2164

T: 02 8785 5800

F: 02 9725 3488

E: nswsales@downee.com.au

QLD

Unit 18/140 Wecker Road,
MANSFIELD 4122

T: 07 3434 3400

F: 07 3349 0567

E: qldsales@downee.com.au

SA/NT

505 Cross Keys Road,
CAVAN 5094

T: 08 8349 7339

F: 08 8349 7449

E: sasales@downee.com.au

WA

45 Millrose Drive,
MALAGA 6090

T: 08 9241 7300

F: 08 9209 3693

E: wasales@downee.com.au

PAYMENT DETAILS

ACCOUNT NAME:
RMD INDUSTRIES PTY LTD

BSB: 083-355

ACCOUNT NUMBER: 515168064

A surcharge of 1.3% will be charged
on credit card transactions

GOODS & SERVICES TAX

All prices quoted in this catalogue
are in AUD and are exclusive of GST

FREIGHT TERMS

Minimum order values apply for
free delivery and are determined
by region. Long product is also
subject to additional freight
charges.

The images in this catalogue
are provided as a guide only.



